

Product datasheet for RC208559L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Eph receptor B4 (EPHB4) (NM 004444) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Eph receptor B4 (EPHB4) (NM 004444) Human Tagged ORF Clone Lentiviral Particle

Symbol: Eph receptor B4

Synonyms: CMAVM2; HFASD; HTK; LMPHM7; MYK1; TYRO11

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 004444

ORF Size: 2961 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC208559).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 004444.4</u>

 RefSeq Size:
 4369 bp

 RefSeq ORF:
 2964 bp

 Locus ID:
 2050

 UniProt ID:
 P54760

 Cytogenetics:
 7q22.1

Domains: pkinase, EPH_lbd, TyrKc, SAM, S_TKc, FN3

Protein Families: Druggable Genome, Protein Kinase, Transmembrane





Eph receptor B4 (EPHB4) (NM_004444) Human Tagged ORF Clone Lentiviral Particle – RC208559L1V

Protein Pathways: Axon guidance

MW: 108.27 kDa

Gene Summary: Ephrin receptors and their ligands, the ephrins, mediate numerous developmental processes,

particularly in the nervous system. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a

glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are

transmembrane proteins. The Eph family of receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Ephrin receptors make up the largest subgroup of the receptor tyrosine kinase (RTK) family. The protein encoded by this gene binds to ephrin-B2 and plays an

essential role in vascular development. [provided by RefSeq, Jul 2008]