

Product datasheet for RC208562L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Collagen VI (COL6A1) (NM_001848) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Collagen VI (COL6A1) (NM_001848) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Collagen VI

Synonyms: BTHLM1; OPLL; UCHMD1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this cl

Sequence:

The ORF insert of this clone is exactly the same as(RC208562).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001848

ORF Size: 3084 bp



Collagen VI (COL6A1) (NM_001848) Human Tagged Lenti ORF Clone - RC208562L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001848.2, NP 001839.2</u>

RefSeq Size: 4246 bp RefSeq ORF: 3087 bp

Locus ID: 1291

UniProt ID: P12109
Cytogenetics: 21q22.3

Domains: VWA, Collagen

Protein Pathways: ECM-receptor interaction, Focal adhesion

MW: 108.5 kDa


Gene Summary: The collagens are a superfamily of proteins that play a role in maintaining the integrity of

various tissues. Collagens are extracellular matrix proteins and have a triple-helical domain as their common structural element. Collagen VI is a major structural component of microfibrils. The basic structural unit of collagen VI is a heterotrimer of the alpha1(VI), alpha2(VI), and alpha3(VI) chains. The alpha2(VI) and alpha3(VI) chains are encoded by the COL6A2 and COL6A3 genes, respectively. The protein encoded by this gene is the alpha 1 subunit of type VI collagen (alpha1(VI) chain). Mutations in the genes that code for the collagen VI subunits result in the autosomal dominant disorder, Bethlem myopathy.

[provided by RefSeq, Jul 2008]



Product images:



Circular map for RC208562L4