

Product datasheet for RC208592L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

STAT2 (NM_005419) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: STAT2 (NM_005419) Human Tagged ORF Clone Lentiviral Particle

Symbol: STAT2

Synonyms: IMD44; ISGF-3; P113; PTORCH3; STAT113

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_005419 **ORF Size:** 2553 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC208592).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005419.2

 RefSeq Size:
 4576 bp

 RefSeq ORF:
 2556 bp

 Locus ID:
 6773

 UniProt ID:
 P52630

 Cytogenetics:
 12q13.3

 Domains:
 SH2, STAT

Protein Families: Druggable Genome, Transcription Factors





STAT2 (NM_005419) Human Tagged ORF Clone Lentiviral Particle - RC208592L2V

Protein Pathways: Chemokine signaling pathway, Jak-STAT signaling pathway

MW: 97.9 kDa

Gene Summary: The protein encoded by this gene is a member of the STAT protein family. In response to

cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. In response to interferon (IFN), this protein forms a complex with STAT1 and IFN regulatory factor family protein p48 (ISGF3G), in which this protein acts as a transactivator, but lacks the ability to bind DNA directly. The protein

mediates innate antiviral activity. Mutations in this gene result in Immunodeficiency 44.

[provided by RefSeq, Aug 2020]