

Product datasheet for RC208610

SCUBE3 (NM_152753) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SCUBE3 (NM_152753) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SCUBE3
Synonyms:	CEGF3; SSFSC2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC208610 representing NM_152753 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCTCGGGCGCGTACCCGGGCTCTGCCTGCTTGTCTGCTGGTCCACGCCCGCCGCCAGTACA
GCAAAGCCGCGCAAGATGTGGATGAGTGTGGAGGGACTGACAACGCCACATCGATGCTATCTGCCA
GAACACCCCGAGGTCATAAAGTGCATCTGCAAGTCTGGCTACACAGGGGACGGCAAACACTGCAAAGAC
GTGGATGAGTGCAGCGAGAGGATAATGCAGTGTGTGCATGACTGTGTCAACATCCCTGGCAATTACC
GGTGTACCTGCTATGATGGATTCCACCTGGCACATGACGGACACAACACTGTCTGGATGTGGACGAGTGTGC
CGAGGGCAACGGCGGCTGTCAGCAGAGCTGTGTCAACATGATGGGCAGCTATGAGTGCCACTGCCGGAA
GGCTTCTTCTCAGCGACAACCAGCATACCTGTATCCAGCGGCCAGAAGGAATGAACTGCATGAACAAGA
ACCACGGCTGTGCCACATTTGCCGGGAGACACCAAGGGGGTATTGCCTGTGAATGCCGTCTGGCTT
TGAGCTTACCAAGAACCAACGGGACTGTAATTTGACATGCAACTATGGTAACGGCGGCTGCCAGCACAG
TGTGATGACACAGAGCAGGGTCCCGGTGCGGCTGCCATATCAAGTTTGTGCTCCATACCGACGGGAAGA
CATGCATCGAGACCTGTGCTGTCAACAACGGGGCTGTGACAGTAAGTCCATGATGCAGCGATTGGTGT
CCACTGCACCTGCCCTGTGGCTTCATGCTGCAGCCAGACAGGAAGACGTGCAAAGATATAGATGAGTGC
CGCTTAAACAACGGGGCTGTGACCATATTTGCCGCAACACAGTGGCGAGCTTCGAATGCAGTTGCAAGA
AAGGCTATAAGCTTCTCATCAATGAGAGGAACCTGCCAGGATATAGACGAGTGTTCCTTTGATCGAACCTG
TGACCACATATGTGTCAACACACCAGGAAGCTTCCAGTGTCTCTGCCATCGTGGTACCTGTTGTATGGT
ATCACCCACTGTGGGATGTGGATGAATGCAGCATCAACCGGGAGGTTGCCGCTTTGGCTGCATCAACA
CTCCTGGCAGCTACCAAGTGTACCTGCCAGCAGGCCAGGGTGGCTGCACTGGAATGGCAAAGATTGCAC
AGAGCCACTGAAGTGTCAAGGCAGTCTGGGGCTCGAAAGCCATGCTCAGCTGCAACCGGTCTGGCAAG
AAGGACACCTGTGCCCTGACCTGTCCCTCCAGGGCCGATTTTGGCAGAGTCTGAGAATGGCTTACGG
TGAGCTGTGGACCCCCAGCCCCAGGGCTGCTCCAGCCGAGCTGGCCACAATGGGAACAGCACCAACTC
CAACCACTGCCATGAGGCTGCAGTGTCCATTAACAACGGGCTCCTCAAGATCAAGGATGCCAAA



[View online >](#)

TGCCGTTTGCACCTGCGAAACAAAGGCAAAACAGAGGAGGCTGGCAGAATCACAGGGCCAGGTGGTGCCC
 CCTGCTCTGAATGCCAGGTACACCTTCCACCTTAAGTGTGACTCCTCTCGGAAGGGCAAGGGCCGACG
 GGCCCGGACCCCTCCAGGCAAAGAGGTACAAGGCTCACCTGGAAGTGGAGGCAGAGGTGAGAGCCGAA
 GAAACCACAGCCAGCTGTGGGCTGCCCTGCCTCCGACAGCGAATGGAACGGCGGCTGAAAGGATCCCTGA
 AGATGCTCAGAAAGTCCATCAACCAGGACCGCTTCTGCTGCGCTGGCAGGCTTGATTATGAGCTGGC
 CCACAAGCCGGGCTGGTAGCCGGGAGCGAGCAGAGCCGATGGAGTCTGTAGGCCCGGGCAGCACCGT
 GCTGGACCAAGTGTGTGAGCTGCCCGAGGGAACGTATTACCAGGCCAGACGGAGCAGTGTGTGCCAT
 GCCCAGCGGGCACCTTCCAGGAGAGAGAAGGGCAGCTCTCTGCGACCTTTGCCCTGGGAGTGATGCCCA
 CGGGCCTCTTGGAGCCACCAACGTACCCACGTGTGCAGGTGAGTCCACCTGGCCAACACTCTGTAGAT
 GGGTTCAAGCCCTGTGAGCCATGCCACGTGGCACCTACCAACCTGAAGCAGGACGGACCCTATGCTTCC
 CTTGTGGTGGGGCCTCACCACCAAGCATGAAGGGGCCATTTCTTCCAAGACTGTGACACCAAAGTCCA
 GTGCTCCCAGGGCACTACTACAACACCAGCATCCACCGCTGTATTGCTGTGCCATGGGCTCCTATCAG
 CCCGACTCCGTCAGAACTTCTGCAGCCGCTGTCCAGGAAACACAAGCACAGACTTTGATGGCTTACCA
 GTGTGGCCCAATGCAAGAATCGTCAGTGTGGTGGGAGCTGGGTGAGTTCAGTGGCTATATTGAGTCCCC
 CAACTACCCGGGCAACTACCCAGCTGGTGTGGAGTGCATCTGGAACATCAACCCCCACCAAGCGCAAG
 ATCCTTATCGTGGTACCAGAGATCTTCCGCTCTGAGGATGAGTGTGGGGACGCTCCTCGTCATGAGAA
 AGAACTCATCCCCATCCTCCATTACCATTATGAGACCTGCCAGACCTACGAGCGTCCCATTGCCTTAC
 TGCCCGTTCCAGGAAGCTCTGGATCAACTTCAAGACAAGCGAGGCCAACAGCGCCCGTGGCTTCCAGATT
 CCCTATGTTACCTATGATGAGGACTATGAGCAGCTGGTAGAAGACATTGTGCGAGATGGCCGGCTATG
 CCTCTGAAAACCACCAGGAGATTTAAAGGACAAGAAGCTCATCAAGGCCTTCTTTGAGGTGCTAGCCCA
 CCCCCAGAACTACTTCAAGTACACAGAGAAACACAAGGAGATGCTGCCAAAATCCTTCATCAAGTGTCT
 CGCTCAAAGTTTCCAGCTTCTGAGGCCCTACAAA

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGAT AAGTTTAA

Protein Sequence:

>RC208610 representing NM_152753
 Red=Cloning site Green=Tags(s)

MGSGRVPGLCLLVLLVHARAQYSKAAQDVDECEVGTDNCHIDAICQNTPRSYKICKSGYTGDKHKCKD
 VDECEREDNAGCVHDCVNIIPGNRYRCTCYDGFHLAHDGHNCLDVDECAEGNGGCQSQCVNMMGSYECRE
 GFFLSDNQHTCIQRPEGMNMCNKNHGAHICRETPKGGIACECRPGFELTKNQRDCKLTCNYGNGGCQHT
 CDDTEQGPARGCHIKFVLTGDKTCIETCAVNNGGCDSKCHDAAIGVHCTCPVGFMLQPDRKTKDIDEC
 RLNNGGCDHICRNTVGSFECCKKGYKLLINERNCQDIDECDFDRTCDHICVNTPGSFQCLCHRGYLLYG
 ITHCGDVDECSINRGGCRFGCINTPGSYQCTCPAGQGRLHWNGKDCTEPLKQGSPPGASKAMLSCNRSK
 KDTICALTCPSRARFLPESENGFTVSCGTPSPRAAPARAGHNGNSTNSNHCEAAVL SIKQRASFKIKDAK
 CRLHLRNKKGKTEEAGRITGPGGAPCSECQVTFIHLKCDSSRKGKRRARTPPGKEVTRLTLELEAEVRAE
 ETTASCGLPCLRQRMERRLKGSLKMLRKSINQDRFLRLAGLDYELAHKPLVAGERAEPMESCRPGQHR
 AGTKCVSCPQGTYYHGQTEQCVPCPAGTFQEREGQLSCDLCPGSDAHGPLGATNVTTACAGCQPPGQHSVD
 GFKPCQPCPRGTYQPEAGRILCFPCGGGLTTKHEGAISFQDCDTKVQCSPGHYYNTSIHRCIRCAMGSYQ
 PDFRQNFCSRCPGNTSTDFDGSTSVAQCKNRQCGGELGEFTGYIESPNYPGNYPAGVECIWNINPPPKRK
 ILIVVPEIFLPSSEDECGDVLVMRKNSSPSSITTYETCQTYERPIAFTARSRKLWINFKTSEANSARGFQI
 PYVTYDEDEYQLVEDIVRDGRLYASENHQEILDKKLIKAF FEVL AHPQNYFKYTEKHKEMLPKSF IKLL
 RSKVSSFLRPYK

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mg3672_b01.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_152753

ORF Size: 600 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_152753.4](#)


RefSeq Size: 5115 bp

RefSeq ORF: 2982 bp


Locus ID: 222663
UniProt ID: [Q8IX30](#)
Cytogenetics: 6p21.31
Protein Families: Druggable Genome, Secreted Protein
MW: 109.1 kDa

Gene Summary: This gene encodes a member of the signal peptide, complement subcomponents C1r/C1s, Uegf, bone morphogenetic protein-1 and epidermal growth factor-like domain containing protein family. Overexpression of this gene in human embryonic kidney cells results in secretion of a glycosylated form of the protein that forms oligomers and tethers to the cell surface. This gene is upregulated in lung cancer tumor tissue compared to healthy tissue and is associated with loss of the epithelial marker E-cadherin and with increased expression of vimentin, a mesenchymal marker. In addition, the protein encoded by this gene is a transforming growth factor beta receptor ligand, and when secreted by cancer cells, it can be cleaved in vitro to release the N-terminal epidermal growth factor-like repeat domain and the C-terminal complement subcomponents C1r/C1s domain. Both the full length protein and C-terminal fragment can bind to the transforming growth factor beta type II receptor to promote the epithelial-mesenchymal transition and tumor angiogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014]

Product images:



Circular map for RC208610



Western blot validation of overexpression lysate (Cat# [LY407303]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208610 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).