

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC208673L2V

BMPR2 (NM_001204) Human Tagged ORF Clone Lentiviral Particle

Product data:


Product Type:	Lentiviral Particles
Product Name:	BMPR2 (NM_001204) Human Tagged ORF Clone Lentiviral Particle
Symbol:	BMPR2
Synonyms:	BMPR-II; BMPR3; BMR2; BRK-3; POVD1; PPH1; T-ALK
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_001204
ORF Size:	3114 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC208673).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001204.5</u>
RefSeq Size:	12086 bp
RefSeq ORF:	3117 bp
Locus ID:	659
UniProt ID:	<u>Q13873</u>
Cytogenetics:	2q33.1-q33.2
Domains:	Activin_recp, pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE BMPR2 (NM_001204) Human Tagged ORF Clone Lentiviral Particle – RC208673L2V	
Protein Pathways	Cytokine-cytokine receptor interaction, TGF-beta signaling pathway
MW:	115.2 kDa
Gene Summary:	This gene encodes a member of the bone morphogenetic protein (BMP) receptor family of transmembrane serine/threonine kinases. The ligands of this receptor are members of the TGF-beta superfamily. BMPs are involved in endochondral bone formation and embryogenesis. These proteins transduce their signals through the formation of heteromeric complexes of two different types of serine (threonine) kinase receptors: type I receptors of about 50-55 kD and type II receptors of about 70-80 kD. Mutations in this gene have been associated with primary pulmonary hypertension, both familial and fenfluramine-associated, and with pulmonary venoocclusive disease. [provided by RefSeq, May 2020]

Product images:



[RC208673L2] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC208673L2V particle to overexpress human BMPR2-mGFP fusion protein.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US