

#### Product datasheet for RC208676L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GPR18 (NM 005292) Human Tagged ORF Clone Lentiviral Particle**

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** GPR18 (NM\_005292) Human Tagged ORF Clone Lentiviral Particle

Symbol:

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM\_005292

ORF Size: 993 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC208676).

Sequence: OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

This clone was engineered to express the complete ORF with an expression tag. Expression **OTI Annotation:** 

varies depending on the nature of the gene.

RefSeq: NM 005292.2

RefSeq Size: 1676 bp RefSeq ORF: 996 bp Locus ID: 2841 **UniProt ID:** Q14330

Cytogenetics: 13q32.3

Domains: 7tm\_1

**Protein Families:** Druggable Genome, GPCR, Transmembrane

MW: 38.1 kDa






#### **Gene Summary:**

Receptor for endocannabinoid N-arachidonyl glycine (NAGly) (PubMed:16844083, PubMed:24762058, PubMed:27572937). However, conflicting results about the role of NAGly as an agonist are reported (PubMed:27018161). Can also be activated by plant-derived and synthetic cannabinoid agonists (PubMed:24762058). The activity of this receptor is mediated by G proteins which inhibit adenylyl cyclase (PubMed:16844083). May contribute to regulation of the immune system. Is required for normal homeostasis of CD8+ subsets of intraepithelial lymphocytes (IELs) (CD8alphaalpha and CD8alphabeta IELs)in small intstine by supporting preferential migration of CD8alphaalpha T-cells to intraepithelial compartment over lamina propria compartment, and by mediating their reconstitution into small intestine after bone marrow transplant (By similarity). Plays a role in hypotensive responses, mediating reduction in intraocular and blood pressure (By similarity). Mediates NAGly-induced process of reorganization of actin filaments and induction of acrosomal exocytosis (PubMed:27572937). [UniProtKB/Swiss-Prot Function]

# **Product images:**



[RC208676L3] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC208676L3V particle to overexpress human GPR18-Myc-DDK fusion protein.