

Product datasheet for RC208677L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TMPRSS2 (NM_005656) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TMPRSS2 (NM_005656) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: TMPRSS2
Synonyms: PRSS10
Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clo

Sequence:

The ORF insert of this clone is exactly the same as(RC208677).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_005656

ORF Size: 1476 bp





TMPRSS2 (NM_005656) Human Tagged Lenti ORF Clone - RC208677L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005656.2</u>

RefSeq Size:3212 bpRefSeq ORF:1479 bpLocus ID:7113

 UniProt ID:
 O15393

 Cytogenetics:
 21q22.3

Domains: SR, Tryp SPc, ldl recept a

Protein Families: Druggable Genome, Protease, Secreted Protein, Transmembrane

MW: 53.9 kDa

Gene Summary: This gene encodes a protein that belongs to the serine protease family. The encoded protein


contains a type II transmembrane domain, a receptor class A domain, a scavenger receptor cysteine-rich domain and a protease domain. Serine proteases are known to be involved in many physiological and pathological processes. This gene was demonstrated to be upregulated by androgenic hormones in prostate cancer cells and down-regulated in androgen-independent prostate cancer tissue. The protease domain of this protein is thought to be cleaved and secreted into cell media after autocleavage. This protein also facilitates entry of viruses into host cells by proteolytically cleaving and activating viral envelope glycoproteins. Viruses found to use this protein for cell entry include Influenza virus and the human coronaviruses HCoV-229E, MERS-CoV, SARS-CoV and SARS-CoV-2 (COVID-19 virus).

Alternatively spliced transcript variants encoding different isoforms have been found for this


gene. [provided by RefSeq, Apr 2020]



Product images:



Circular map for RC208677L3



Double digestion of RC208677L3 using Sgfl and Mlul $\,$