

Product datasheet for **RC208731**

CTNNA2 (NM_004389) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CTNNA2 (NM_004389) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CTNNA2
Synonyms:	CAP-R; CAPR; CDCBM9; CT114; CTNR
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC208731 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGACTTCGGCAACTTCACCTATCATTCTGAAATGGGACCCAAAAGTTTGGAAATCCGGACGCTAACAG
 TGGAAAGGCTGTTGGAGCCAATTGTTACACAGGTGACTACACTTGTCAACACAAGCAACAAAGGCCCATC
 TGGTAAAAAGAAAGGGAGGTCAAAGAAAGCCCATGTAAGTACTAGTGCCTCTGTAGAGCAAGCCACTCAGAAT
 TTCCTGAAAAAGGGTGAACAGATCGCTAAGGAGAGTCAAGATCTCAAAGAAGAGTTGGTGGCTGCTGTAG
 AGGATGTGCGCAAACAAGGTGAGACGATGCGGATGCGCTCCTCCGAGTTTGCAGATGACCCTTGCTCGTC
 GGTAAAGCGCGCCACCATGGTACGGGCGCAAGGGCTTTGCTCTCCGCGGTGACACGCTTACTCATCCTG
 GCGGACATGGCAGATGTCATGAGACTTTTATCCCATCTGAAAATTGTGGAAGAGGCCCTGGAAGCTGTCA
 AAAATGCTACAAATGAGCAAGACCTTGCAAACCGTTTTAAAGAGTTTGGGAAAGAGATGGTAAAACCTAA
 CTATGTAGCAGCAAGAAGACAACAGGAGCTGAAGGATCCTCACTGTCGGGATGAGATGGCAGCCGCCGA
 GGGGCTCTGAAGAAGAATGCCACAATGCTGTACACGGCCTCTCAAGCATTCTCCGCCACCCAGATGTCG
 CCGCTACGAGAGCCAACCGAGATTATGTGTTCAAACAAGTCCAGGAGGCCATCGCCGGCATCTCCAATGC
 TGCTCAAGCTACCTCGCCACTGACGAAGCCAAGGGCCACACGGGCATCGGCGAGCTGGCTGCGGCTCTT
 AATGAGTTTGACAATAAGATTATCTGGACCCCATGACGTTTACGCGAGGCCAGGTTCCGGCCGCTCCCTGG
 AGGAGAGGCTGGAGAGCATCATCAGCGGCGCAGCGCTGATGGCCGACTCCTCCTGCACGCGAGACGACCG
 GCGCGAGAGGATCGTGGCGGAGTGAACGCCGTGCGGCAGGCGCTCCAGGACCTGCTCAGCGAGTACATG
 AATAACTGGAAGGAAAGAAAAAGGAGATCCTCTCAACATTGCGATTGATAAGATGACTAAGAAAAACA
 GAGATCTAAGGAGACAGCTTCGAAAGCAAGTGGATCACATATCTGACTCTTTCTGGAACCAATGTT
 TCCTTTGCTAGTTCTCATTGAGGCTGCAAAGAGCGGAAATGAAAAGGAAGTGAAGAATATGCCCAAGTT
 TTCGTGAGCATGCCAACAACTGGTAGAGTTGCCAATTTGGCCTGTTCCATCTCCAACAATGAAGAAG
 GGGTGAATTAGTTCCGATGGCAGCCACCCAGATTGACAGCCTGTGTCCCAGGTCATCAATGCCGCTCT
 GACTGCTGCCCAGGACAGAGCAAAGTTGCTCAGGATAACATGGACGCTCTTCAAAGACCAGTGGGAG
 AAGCAGGTCAGGTTGACAGAGGCCGTGGATGACATCACCTCAGTGGATGACTTCTCTGTCTCAG
 AAAATCACATCTGGAGGATGTGAACAAGTGTGTGATAGCCCTCAAGAGGGCGATGTGGACACTCTGGA
 CCGGACTGCAGGGGCCATCAGGGGCCGGCAGCTCGAGTCATACATCATCAATGCTGAGATGGAGAAC
 TATGAAGCTGGGTTTACTGAGAAGGTGTTGGAAGCTACAAAATTGCTTTCTGAAACAGTGTGCCAC
 GCTTCGCTGAACAAGTAGAGTTGCCATTGAAGCCCTGAGTGCCAACGTTCTCAACCGTTTGAGGAGAA
 TGAGTTTATCGATGCCTCTCGCCTGGTGTATGATGGCGTTCGGGACATCAGAAAGGCTGTGCTGATGATC
 AGGACCCAGAAAGACTAGAGGATGATTCTGACTTTGAGCAAGAAGATTATGATGTGCGTAGCAGGACAA
 GTGTTTCAAGTGGATGACCAGCTATTGAGGGCAGAGCGCACGGGCCATCATGGCGCAACTACCGCA
 GGAGGAGAAGGCAAAAATAGCTGAGCAGGTGGAGATATTCATCAAGAGAAAAGCAAGCTGGATGCAGAA
 GTGGCCAAATGGGACGACAGCGGCAATGATATCATTGACTGGCCAAGCAGATGTGTATGATCATGATGG
 AAATGACAGACTTCACAAGAGGCAAAGGCCATTGAAAAATACATCTGATGTCATTAATGCTGCCAAGAA
 AATTGCCAAGCAGGTTCTCGAATGGACAAATAGCTCGTGTGGCTGATCAGTGTCCCTGATTACAGCA
 TGTAAAGCAGGATTTATTAGCCTACCTTCAACGAATTGCCTGTATTGCCATCAGCTTAATATCTGCAGCA
 AGGTGAAGGCAGAAGTGCAGAATCTGGGAGGAGAGCTCATTGTGTGAGGCTGGACAGTCCACATTCGCT
 TATCCAGGCGACTAAAAACCTGATGAATGCTGTTGCTCAGCGTGAAGCATCCTATGTGGCCTCAACC
 AAATACCAGAAGGTCTATGGGACAGCAGCTGTCAACTCACCTGTTGTGCTTGGAAAGATGAAGGCTCCAG
 AGAAGAAGCCCTTGTGAAGAGAGAAAAGCCTGAAGAATTCCAGACACGAGTTCGACGAGGTTCTCAGAA
 GAAACACATTTCCGCTGTACAGGCTTAAAGTGAATCAAAGCAATGGATTCTTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC208731 protein sequence
Red=Cloning site Green=Tags(s)

```

MTSATSPIILKWDPKSLEIRTLTVERLLEPLVTQVTLLVNTSNKGPSGKKKGRSKKAHVLAASVEQATQN
FLEKGEQIAKESQDLKEELVAAVEDVRKQGETMRIASSEFADPCSSVKRGTMVRAARALLSAVTRLLIL
ADMADVMRLLSHLKIVEEALAVKNATNEQDLANRFKEFGKEMVKLNVAARRQQLKDPHCRDEMAAAR
GALKKNATMLYASQAFLRHPDVAATRANRDYVFKQVQEAIAIGISNAAQATSPTDEAKGHTGIGELAAAL
NEFDNKIILDPMTFSEARFRPSLEERLESIIISGAALMADSSCTRDRRERIVAECNAVRQALQDLLSEYM
NNTGRKEKGDPLNIAIDKMTKKTRDLRRQLRKAVMDHISDSFLETNVPLLVLEAAKSGNEKEVKEYAQV
FREHANKLVEVANLACSI SNNEEGVKLVRMAATQIDSLCPQVINAALTLAARPQSKVAQDNMDVFKDQWE
KQVRVLTEAVDDITSVDDFLSVSENHILEDVNCVIALQEGDVTLDRTAGAIRGRAARVIHIINAEMEN
YEAGVYTEKVLKLLSETVMPRFAEQVEVAIEAL SANVPQPFEENEIDASRLVYDGVDRIRKAVLMI
RTPEELEDSDFEQEDYDVRSTSVQTEDDQLIAGQSARAIMAQLPQEEKAKIAEQVEIFHQEKSKLDAE
VAKWDDSGNDIIVLAKQKCMIMMEMTDFTRGKGPLKNTSDVINAAKKIAEAGSRMDKLARAVADQCPDSA
CKQDLLAYLQRIALYCHQLNICKVKAEVQNLGGELIVSGLDSATSLIQAANKLMNAVVLTVKASYVAST
KYQKVYGTAAVNSPVVSWKKAPEKKPLVKREKPEEFQTRVRRGSQKKHISPVQALSEFKAMDSF
    
```



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6218_h07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




* The last codon before the Stop codon of the ORF


ACCN: NM_004389

ORF Size:	2715 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004389.3
RefSeq Size:	4005 bp
RefSeq ORF:	2718 bp
Locus ID:	1496
UniProt ID:	P26232
Cytogenetics:	2p12
Domains:	Vinculin
Protein Families:	Druggable Genome
Protein Pathways:	Adherens junction, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Endometrial cancer, Leukocyte transendothelial migration, Pathways in cancer, Tight junction
MW:	100.4 kDa
Gene Summary:	May function as a linker between cadherin adhesion receptors and the cytoskeleton to regulate cell-cell adhesion and differentiation in the nervous system (By similarity). Required for proper regulation of cortical neuronal migration and neurite growth (PubMed:30013181). It acts as negative regulator of Arp2/3 complex activity and Arp2/3-mediated actin polymerization (PubMed:30013181). It thereby suppresses excessive actin branching which would impair neurite growth and stability (PubMed:30013181). Regulates morphological plasticity of synapses and cerebellar and hippocampal lamination during development. Functions in the control of startle modulation (By similarity).[UniProtKB/Swiss-Prot Function]


Product images:



Circular map for RC208731



Western blot validation of overexpression lysate (Cat# [LY418015]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208731 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified CTNNA2 protein (Cat# [TP308731]). The protein was produced from HEK293T cells transfected with CTNNA2 cDNA clone (Cat# RC208731) using MegaTran 2.0 (Cat# [TT210002]).