

Product datasheet for RC208735L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Calcium independent Phospholipase A2 (PLA2G6) (NM_001004426) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Calcium independent Phospholipase A2 (PLA2G6) (NM_001004426) Human Tagged Lenti ORF

Clone

Tag: Myc-DDK

Symbol: Calcium independent Phospholipase A2

Synonyms: Cal-PLA2; GVI; INAD1; iPLA2; IPLA2-VIA; iPLA2beta; NBIA2; NBIA2A; NBIA2B; PARK14; PLA2;

PNPLA9

Mammalian Cell

Selection:

Puromycin

Sciccion.

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC208735).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.





Calcium independent Phospholipase A2 (PLA2G6) (NM_001004426) Human Tagged Lenti ORF Clone – RC208735L3

ACCN: NM 001004426

ORF Size: 2256 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001004426.1</u>

 RefSeq Size:
 3077 bp

 RefSeq ORF:
 2259 bp

 Locus ID:
 8398

 UniProt ID:
 060733

Cytogenetics: 22q13.1

Protein Pathways: alpha-Linolenic acid metabolism, Arachidonic acid metabolism, Ether lipid metabolism, Fc

epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Glycerophospholipid metabolism, GnRH signaling pathway, Linoleic acid metabolism, Long-term depression, MAPK signaling pathway, Metabolic pathways, Vascular smooth muscle contraction, VEGF signaling

pathway

MW: 84.1 kDa

Gene Summary: The protein encoded by this gene is an A2 phospholipase, a class of enzyme that catalyzes the


release of fatty acids from phospholipids. The encoded protein may play a role in

phospholipid remodelling, arachidonic acid release, leukotriene and prostaglandin synthesis, fas-mediated apoptosis, and transmembrane ion flux in glucose-stimulated B-cells. Several transcript variants encoding multiple isoforms have been described, but the full-length nature

of only three of them have been determined to date. [provided by RefSeq, Dec 2010]



Product images:



Circular map for RC208735L3