

Product datasheet for RC208750L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Glutathione S Transferase alpha 1 (GSTA1) (NM 145740) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Glutathione S Transferase alpha 1 (GSTA1) (NM 145740) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Glutathione S Transferase alpha 1
Synonyms: GST-epsilon; GST2; GSTA1-1; GTH1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC208750).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_145740

ORF Size: 666 bp





Glutathione S Transferase alpha 1 (GSTA1) (NM_145740) Human Tagged Lenti ORF Clone – RC208750L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 145740.2</u>

RefSeq Size: 1276 bp
RefSeq ORF: 669 bp
Locus ID: 2938

UniProt ID: P08263

Cytogenetics: 6p12.2

Domains: GST N, GST C

Protein Families: Druggable Genome

Protein Pathways: Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450

MW: 25.6 kDa


Gene Summary: This gene encodes a member of a family of enzymes that function to add glutathione to

target electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins, and products of oxidative stress. This action is an important step in detoxification of these compounds. This subfamily of enzymes has a particular role in protecting cells from reactive oxygen species and the products of peroxidation. Polymorphisms in this gene influence the ability of individuals to metabolize different drugs. This gene is located in a cluster of similar genes and pseudogenes on chromosome 6. Alternative splicing results in

multiple transcript variants. [provided by RefSeq, Jan 2016]



Product images:



Circular map for RC208750L4