

## Product datasheet for RC208752

### BCL10 (NM\_003921) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	BCL10 (NM_003921) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BCL10
Synonyms:	c-E10; CARMEN; CIPER; CLAP; IMD37; mE10
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC208752 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGCCACCGCACCGTCCCTCACCGAGGAGGACCTCACTGAAGTGAAGAAGGACGCCTTAGAAAATT  
TACGTGTATACCTGTGTGAGAAAATCATAGCTGAGAGACATTTTGATCATCTACGTGCAAAAAAATACT  
CAGTAGAGAAGACTGAAGAAATTTCTGTGCAACATCAAGTAGAAAAAGGGCTGGAAAATTGTTAGAC  
TACTTACAGGAAAACCCAAAAGGTCTGGACACCCTTGTGAATCTATTCGGCGAGAAAAACACAGAACT  
TCCTGATACAGAAGATTACAGATGAAGTGTGAACTTAGAAATATAAACTAGAACATCTGAAAGGACT  
AAAATGTAGCAGTTGTGAACCTTTCCAGATGGAGCCACGAACAACCTCTCCAGATCAAATTCAGATGAG  
AGTAATTTCTCTGAAAACTGAGGGCATCCACTGTGATGTACCATCCAGAAGGAGAAATCCAGCACCACGC  
CCTTTTTTCTACTAATCTTCTCTGAATTTGCCTGTTCTAGAAGTAGGCAGAACTGAAAATACCATCTT  
CTCTTCAACTACACTTCCAGACCTGGGGACCCAGGGGCTCCTCCTTGGCACCAGATCTACAGTTAGAA  
GAAGAAGGAATGTGCAAACTTAGTGAGATGTTTCTCCCTAAGATCACGTACTGTTTCACGACAA

**ACGCGT**ACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC208752 protein sequence  
Red=Cloning site Green=Tags(s)

MEPTAPSLTEEDL TEVKKDALENLRVYLCEKIIAERHFDHLRAKKILSREDTEEISCRTSSRKRAGKLLD  
 YLQENPKGLDTL VESIRREKTQNFLLIQKITDEVLKLNRNIKLEHLKGLKCSCEPFPDGNLNRNSNDE  
 SNFSEKLRASVVMYHPEGESSTTPFFSTNSSLNLPVLEVGRTENTIFSSSTLPRPGDPGAPPLPDLQLE  
 EEGTCANSSEMFLPLRSRTVSRQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6267\\_g01.zip](https://cdn.origene.com/chromatograms/mk6267_g01.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_003921

**ORF Size:** 699 bp


**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_003921.5</u>
<b>RefSeq Size:</b>	3118 bp
<b>RefSeq ORF:</b>	702 bp
<b>Locus ID:</b>	8915
<b>UniProt ID:</b>	<u>O95999</u>
<b>Cytogenetics:</b>	1p22.3
<b>Domains:</b>	CARD
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	B cell receptor signaling pathway, T cell receptor signaling pathway
<b>MW:</b>	26.3 kDa
<b>Gene Summary:</b>	This gene was identified by its translocation in a case of mucosa-associated lymphoid tissue (MALT) lymphoma. The protein encoded by this gene contains a caspase recruitment domain (CARD), and has been shown to induce apoptosis and to activate NF-kappaB. This protein is reported to interact with other CARD domain containing proteins including CARD9, 10, 11 and 14, which are thought to function as upstream regulators in NF-kappaB signaling. This protein is found to form a complex with MALT1, a protein encoded by another gene known to be translocated in MALT lymphoma. MALT1 and this protein are thought to synergize in the activation of NF-kappaB, and the deregulation of either of them may contribute to the same pathogenetic process that leads to the malignancy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2016]


Product images:



Circular map for RC208752



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY BCL10 (Cat# RC208752, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BCL10(Cat# [TA800451]). Positive lysates [LY418351] (100ug) and [LC418351] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY418351]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208752 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).