

Product datasheet for RC208785L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Galectin 3 (LGALS3) (NM_002306) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Galectin 3 (LGALS3) (NM_002306) Human Tagged ORF Clone Lentiviral Particle

Symbol: Galectin 3

Synonyms: CBP35; GAL3; GALBP; GALIG; L31; LGALS2; MAC2

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 002306

ORF Size: 750 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC208785).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally accurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002306.1, NP 002297.1

 RefSeq Size:
 1017 bp

 RefSeq ORF:
 753 bp

 Locus ID:
 3958

 UniProt ID:
 P17931

 Cytogenetics:
 14q22.3

Domains: Gal-bind lectin

Protein Families: Secreted Protein





MW: 26.2 kDa

Gene Summary:

This gene encodes a member of the galectin family of carbohydrate binding proteins. Members of this protein family have an affinity for beta-galactosides. The encoded protein is characterized by an N-terminal proline-rich tandem repeat domain and a single C-terminal carbohydrate recognition domain. This protein can self-associate through the N-terminal domain allowing it to bind to multivalent saccharide ligands. This protein localizes to the extracellular matrix, the cytoplasm and the nucleus. This protein plays a role in numerous cellular functions including apoptosis, innate immunity, cell adhesion and T-cell regulation. The protein exhibits antimicrobial activity against bacteria and fungi. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Oct 2014]