

## Product datasheet for RC208817L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FBXL4 (NM\_012160) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** FBXL4 (NM\_012160) Human Tagged ORF Clone Lentiviral Particle

Symbol: FBXL4

**Synonyms:** FBL4; FBL5; MTDPS13

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_012160 **ORF Size:** 1863 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC208817).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 012160.3

 RefSeq Size:
 27777 bp

 RefSeq ORF:
 1866 bp

 Locus ID:
 26235

 UniProt ID:
 Q9UKA2

**Cytogenetics:** 6q16.1-q16.2

Domains: LRR, F-box, LRR\_CC
Protein Families: Druggable Genome





ORIGENE

**MW:** 69.9 kDa

**Gene Summary:** 

This gene encodes a member of the F-box protein family, which are characterized by an approximately 40 amino acid motif, the F-box. F-box proteins constitute one subunit of modular E3 ubiquitin ligase complexes, called SCF complexes, which function in phosphorylation-dependent ubiquitination. The F-box domain mediates protein-protein interactions and binds directly to S-phase kinase-associated protein 1. In addition to an F-box domain, the encoded protein contains at least 9 tandem leucine-rich repeats. The ubiquitin ligase complex containing the encoded protein may function in cell-cycle control by regulating levels of lysine-specific demethylase 4A. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013]