

Product datasheet for **RC208836**

TORC2 (CRTC2) (NM_181715) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TORC2 (CRTC2) (NM_181715) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TORC2
Synonyms:	TORC-2; TORC2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC208836 representing NM_181715
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCGACGTCGGGGCGAACGGGCCTGGTTTCGGCCACGGCCTCGGCTTCCAATCCGCGCAAATTTAGTG
AGAAGATTGCGCTGCAGAAGCAGCGTCAGGCCGAGGAGACGGCGCCTTCGAGGAGGTGATGATGGACAT
CGGCTCCACCCGGTTACAGGCCAAAACTGCGACTGGCATAACAAGGAGCTCTCATTATGGTGGGTCT
CTGCCAATGTTAACCAGATTGGCTCTGGCCTGGCCGAGTTCCAGAGCCCCCTCCACTCACCTTTGGATT
CATCTCGGAGCACTCGGCACCATGGGCTGGTGGAACGGGTGCAGCGAGATCCTCGAAGAATGGTGTCCCC
ACTTCGCCGATACACCCGCCACATTGACAGCTCTCCCTATAGTCTGCCTACTTATCTCTCCCCCAGAG
TCTAGCTGGCGAAGGACGATGGCCTGGGGCAATTTCCCTGCAGAGAAGGGGCAGTTGTTTCGACTACCAT
CTGCACCTAACAGGACAAGCTCTGACTCTGCCCTTACATAAGTGTGATGAACCCAGTCCCCAGGATAC
CTACCCAGGCCCCACACCTCCCAGCATCCTGCCAGCCGACGTGGGGGTATTCTGGATGGTAAAATGGAC
CCCAAAGTACCTGCTATTGAGGAGAAGTCTGCTAGATGACAAGCATTGCTGAAGCCATGGGATGCTAAGA
AGCTATCCTCATCTCTTCCCGACCTCGGTCTGTGAAGTCCCTGGAATTAACATCTTCCATCTCTGTA
CCAGCCTGCCAATGTGCCTGTCTCCCACCTGCCATGAACACGGGGGGCTCCCTACCTGACCTCACCAAC
CTGCACCTTCCCCACCCTGCCACCCCTGGACCCTGAAGAGACAGCCTACCCTAGCCTGAGTGGGG
GCAACAGTACCTCCAATTTGACCACACCATGACTCACCTGGGCATCAGCAGGGGCATGGCCTGGGCC
AGGCTATGATGCACCAGGACTTCATTACCTCTCAGCCACCCATCCCTGCAGTCTCCCTAAGCAATCCC
AACCTCCAGGCTTCCCTGAGCAGTCTCAGCCCCAGCTTCCAGGGTCCCACAGCCACCCCTCTCTGCCTG
CTCTCTCTTGGCCCGCCATGTACTGCCACACCTCCCTGGGCCACCCCTCACTCAGTGTCCGGCTCT
TTCTCTCTCTCTCTCTCTCTCACTTCACTCTCTGTTTTGGGCGCCCCCTTTACCCTGCTTCTACC
CCTGGGGCTCCCCCACCACCGCGTGTGCCCTCAGCCCCCTGAGTTTCTCGCGGGCCAGCCGACG
CCAGAAGTCCCAACAGCAGCTGCCAAACAGTTTTTCGCAACAATGTCACCCACCTTGTCTTCCATCAC
TCAGGGCGTCCCCCTGGATACCAGTAACTGTCCACTGACCAGCGGTTACCCCCATACCCATACAGCTCC
CCAAGTCTGGTTCTGCCTACCCAGCCCCACACCCAAAGTCTCTACAGCAGCCAGGGTGCCTCTCAGT
CTTGTTTCAGTGCAGTCTCAGGTGGCAGCCCCAGGCAGGCAGTCTCATTATGGGACACCGTACCCACC
TGGGCCCAGTGGGCATGGCAACAGTCTTACCACCGCCAATGAGTGACTTCAACCTGGGAATCTGGAG
CAGTTCAGCATGGAGAGCCATCAGCCAGCCTGGTGTGATCCCCTGGCTTTTCTGAAGGGCCTGGAT
TTTTAGGGGTGAGGGGCAATGGGTGGCCCCAGGATCCCACACCTTCAACCACCAGAACTTGACCCA
CTGTTCCCGCCATGGCTCAGGGCCTAACATCATCTCACAGGGGACTCCTCTCCAGGTTTCTCTAAGGAG
ATTGCAGCAGCCCTGGCCGAGTGCCTGGCTTTGAGGTGTGAGCAGCTGGATTGGAGCTAGGGCTTGGGC
TAGAAGATGAGCTGCGCATGGAGCCACTGGGCCTGGAAGGGCTAAACATGCTGAGTGACCCTGTGCCCT
GCTGCCTGATCTGTGTGGAGGAGTATTCCGCAGTGACCGGCTCAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC208836 representing NM_181715
Red=Cloning site Green=Tags(s)

MATSGANGPGSATASASNPRKFSEKIALQKQRAEETAAFEVMMDIGSTR LQAQKLRLAYTRSSHYGGS
 LPNVNQIGSGLAEFQSP LHSPLDSSRSTRHHGLVERVQRDPRRMVSP LRRYTRHIDSSPSPAYLSPPE
 SSWRRMTAWGNFPAEKGLFRLPSALNRTSSDSALHTSVMNPSQDTPGTPPSILPSRRGGILDGEMD
 PKVPAIEENLLDDKHL LKPWDAKLLSSSSSRPRSCVPGINIFSPDQPANVPVLPAMNTGGSLPDLTN
 LHFPPPLPTLDPEETAYPSLSGGNSTSNLTHMTHLGISRGMGLGPGYDAPGLHSP LSHPSLQSSLSNP
 NLQASLSSPQPLQGSHSHP LASSLARHVLPTTSLGHPSLSAPALSSSSSSSTSSPVLGAPSPAST
 PGASPHRRVPLSPLSLLAGPADARRSQQLPKQFSPTMSPTLSSITQGVPLDTSK LSTDQRLPPYPYSS
 PSLVLP TPHTPKSLQQGLPSQSCSVQSSGGQPPGRQSHYGTPYPPGPSGHGQQSYHRPMSDFNLGNLE
 QFSMESPSASLVLDPPGFSEGPGLGGEGPMGGPQDPHTFNHQNLTHCSRHGSGPNIILTDGSSPGFSKE
 IAAALAGVPGFEVSAAGLELGLGLEDELMEPLGLEGLNMLSDPCALLPDPAVEESFRSDRLQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg2488_c04.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_181715


ORF Size: 2079 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_181715.1</u> , <u>NP_859066.1</u>
RefSeq Size:	2598 bp
RefSeq ORF:	2082 bp
Locus ID:	200186
UniProt ID:	<u>Q53ET0</u>
Cytogenetics:	1q21.3
MW:	73.1 kDa
Gene Summary:	This gene encodes a member of the transducers of regulated cAMP response element-binding protein activity family of transcription coactivators. These proteins promote the transcription of genes targeted by the cAMP response element-binding protein, and therefore play an important role in many cellular processes. Under basal conditions the encoded protein is phosphorylated by AMP-activated protein kinase or the salt-inducible kinases and is sequestered in the cytoplasm. Upon activation by elevated cAMP or calcium, the encoded protein translocates to the nucleus and increases target gene expression. Single nucleotide polymorphisms in this gene may increase the risk of type 2 diabetes. A pseudogene of this gene is located on the long arm of chromosome 5. [provided by RefSeq, Dec 2010]

Product images:



Circular map for RC208836



Western blot validation of overexpression lysate (Cat# [LY403625]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208836 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).