

Product datasheet for RC208867L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ANGPTL3 (NM_014495) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ANGPTL3 (NM_014495) Human Tagged ORF Clone Lentiviral Particle

Symbol: ANGPTL3

Synonyms: ANG-5; ANGPT5; ANL3; FHBL2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_014495 **ORF Size:** 1380 bp

ORF Nucleotide

_. _.

Sequence:

The ORF insert of this clone is exactly the same as(RC208867).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 014495.2

 RefSeq Size:
 2951 bp

 RefSeq ORF:
 1383 bp

 Locus ID:
 27329

 UniProt ID:
 Q9Y5C1

 Cytogenetics:
 1p31.3

Protein Families: Druggable Genome, Secreted Protein

MW: 53.6 kDa







Gene Summary:

This gene encodes a member of a family of secreted proteins that function in angiogenesis. The encoded protein, which is expressed predominantly in the liver, is further processed into an N-terminal coiled-coil domain-containing chain and a C-terminal fibrinogen chain. The N-terminal chain is important for lipid metabolism, while the C-terminal chain may be involved in angiogenesis. Mutations in this gene cause familial hypobetalipoproteinemia type 2. [provided by RefSeq, Aug 2015]