

## Product datasheet for RC208921L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **ELK1 (NM\_005229) Human Tagged ORF Clone Lentiviral Particle**

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** ELK1 (NM\_005229) Human Tagged ORF Clone Lentiviral Particle

Symbol: ELK1

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_005229

ORF Size: 1284 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC208921).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 005229.4, NP 005220.2</u>

RefSeq Size: 2828 bp
RefSeq ORF: 1287 bp
Locus ID: 2002
UniProt ID: P19419
Cytogenetics: Xp11.23
Domains: ETS

**Protein Families:** Druggable Genome, Transcription Factors





## ELK1 (NM\_005229) Human Tagged ORF Clone Lentiviral Particle - RC208921L4V

**Protein Pathways:** Endometrial cancer, ErbB signaling pathway, Focal adhesion, GnRH signaling pathway, Insulin

signaling pathway, MAPK signaling pathway, Prion diseases

MW: 44.9 kDa

**Gene Summary:** This gene is a member of the Ets family of transcription factors and of the ternary complex

factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum response element in the promoter of the c-fos proto-oncogene. The protein encoded by this gene is a nuclear target for the ras-raf-MAPK signaling cascade. This gene produces multiple isoforms by using alternative translational start codons and by alternative splicing. Related pseudogenes have been identified on

chromosomes 7 and 14. [provided by RefSeq, Mar 2012]