

Product datasheet for RC209003

GAPT (NM_152687) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: GAPT (NM_152687) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: GAPT

Synonyms: C5orf29

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC209003 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CCTTCTGAAGTTCCTCAAGATGAAGATATATACATTCTTCCAGATTCATAT

 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA**

Protein Sequence: >RC209003 protein sequence

Red=Cloning site Green=Tags(s)

MSKSCGNNLAAISVGISLLLLLVVCGIGCVWHWKHRVATRFTLPRFLQRRSSRRKVCTKTFLGPRIIGLR HEISVETQDHKSAVRGNNTHDNYENVEAGPPKAKGKTDKELYENTGQSNFEEHIYGNETSSDYYNFQKPR

PSEVPQDEDIYILPDSY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6354 c05.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_152687

ORF Size: 471 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 152687.4</u>

 RefSeq Size:
 2216 bp

 RefSeq ORF:
 474 bp

 Locus ID:
 202309



UniProt ID: Q8N292

Cytogenetics: 5q11.2

Protein Families: Transmembrane


MW: 17.9 kDa

Gene Summary: Negatively regulates B-cell proliferation following stimulation through the B-cell receptor. May


play an important role in maintenance of marginal zone (MZ) B-cells (By similarity).

[UniProtKB/Swiss-Prot Function]

Product images:




Circular map for RC209003



Western blot validation of overexpression lysate (Cat# [LY407363]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC209003 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified GAPT protein (Cat# [TP309003]). The protein was produced from HEK293T cells transfected with GAPT cDNA clone (Cat# RC209003) using MegaTran 2.0 (Cat# [TT210002]).