

Product datasheet for RC209021

ADCY6 (NM_015270) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ADCY6 (NM_015270) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ADCY6
Synonyms:	AC6; LCCS8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC209021 representing NM_015270 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCATGGTTTGTGGCCTCCTGGTCCCTAAAGTGGATGAACGGAAAACAGCCTGGGGTGAACGCAATG
GGCAGAAGCGTTCGCGGCCTGGCACTCGGGCAGGTGGCTTCTGCACGCCCGCTATATGAGCTGCCT
CCGGGATGCAGAGCCACCCAGCCCCACCCCTGCGGGCCCCCTCGGTGCCCTGGCAGGATGACGCCTTC
ATCCGGAGGGGCGGCCAGGCAAGGGCAAGGAGCTGGGCTGCGGGCAGTGGCCCTGGGCTTCGAGGATA
CCGAGGTGACAACGACAGCGGGCGGACGGCTGAGGTGGCGCCGACCGGTGCCAGGAGTGGGCGATC
CTGCTGGCGCCGTCTGGTGCAGGTGTTCCAGTCGAAGCAGTTCGGTTCGGCCAAGCTGGAGCGCCTGTAC
CAGCGGTACTTCTCCAGATGAACCAGAGCAGCCTGACGCTGCTGATGGCGGTGCTGGTCTGCTCACAG
CGGTGCTGCTGGCTTCCACGCCGACCCGCCGCCCTCAGCCTGCCTATGTGGCACTGTTGGCCTGTGC
CGCCGCCCTGTTCTGGGGTTCATGGTGGTGTGTAACCGGCATAGCTTCCGCCAGGACTCCATGTGGGTG
GTGAGCTACGTGGTGTGGGCATCCTGGCGCAGTGCAGGTGGGGGCGCTCTCGCAGCAGACCCGCGCA
GCCCTCTGCGGGCCTCTGGTGCCTGTGTTCTTTGTCTACATCGCTACACGCTCCTCCCCATCCGCAT
GCGGGCTGCGGCTCCTCAGCGCCTGGGCTCTCCACCTTGCAATTTGATCTTGGCTGGCAACTTAACCGT
GGTGTGCTTCTCTGGAAGCAGCTCGGTGCCAATGTGCTGTTCCCTGCAACCAAGCTCATTGGCA
TCTGCACACACTATCCAGCAGAGGTGTCTCAGCGCCAGGCTTTCAGGAGACCCGCGGTTACATCCAGGC
CCGGCTCCACCTGCAGCATGAGAATCGGCAGCAGGAGCGGCTGCTGCTGTCGGTATTGCCCCAGCACGTT
GCCATGGAGATGAAAGAAGACATCAACACAAAAAAGAAGACATGATGTTCCACAAGATCTACATACAGA
AGCATGACAATGTCAGCATCCTGTTTGACAGACATTGAGGGCTTACCAGCCTGGCATCCCAGTGCCTGC
GCAGGAGCTGGTCATGACCCTGAATGAGCTCTTTGCCGGTTTGACAAGCTGGCTGCGGAGAATCACTGC
CTGAGGATCAAGATCTTGGGGACTGTTACTACTGTGTGTCAGGGCTGCCGGAGGCCCGGGCCGACCATG
CCCCTGCTGTGTGGAGATGGGGTAGACATGATTGAGCCATCTCGTGGTACGTGAGGTGACAGGTGT
GAATGTGAACATGCGCGTGGGCATCCACAGCGGGCGCTGCACTGCGGCTCCTTGGCTTGGGAAATGG



CAGTTCGATGTGTGGTCCAATGATGTGACCCTGGCCAACCACATGGAGGCAGGAGGCCGGGCTGGCCGCA
TCCACATCACTCGGGCAACACTGCAGTACCTGAACGGGGACTACGAGGTGGAGCCAGGCCGTGGTGGCGA
GCGCAACGCGTACCTCAAGGAGCAGCACATTGAGACTTTCCTCATCTCGGGCGCCAGCCAGAAACGGAAA
GAGGAGAAGGCCATGCTGGCCAAGTGCAGCGGACTCGGGCCAACTCCATGGAAGGGCTGATGCCGCGCT
GGGTTCTGATCGTGCCTTCTCCCGGACCAAGGACTCCAAGGCCTTCCGCCAGATGGGCATTGATGATTC
CAGCAAAGACAACCGGGGCACCCAAGATGCCCTGAACCCTGAGGATGAGGTGGATGAGTTCCTGAGCCGT
GCCATCGATGCCCGCAGCATTGATCAGCTGCGGAAGGACCATGTGCGCCGGTTTTCTGCTCACCTTCCAGA
GAGAGGATCTTGAGAAGAAGTACTCCCGGAAGGTGGATCCCGCTTCGGAGCCTACGTTGCCTGTGCCCT
GTTGGTCTTCTGCTTCATCTGCTTCATCCAGCTTCTCATCTTCCACACTCCACCCTGATGCTTGGGATC
TATGCCAGCATCTTCTGCTGCTGCTAATCACCGTGTGATCTGTGCTGTGACTCCTGTGGTTCTCTGT
TCCCTAAGGCCCTGCAACGTCTGTCCCGCAGCATTGTCCGCTCACGGGCACATAGCACCCGAGTTGGCAT
CTTTTCCGCTCCTGTTGTGTTTACTTCTGCCATTGCCAACATGTTACCTGTAACCACACCCCCATACGG
AGCTGTGCAGCCCGATGCTGAATTTAACCTGCTGACATCACTGCCTGCCACCTGCAGCAGCTCAATT
ACTCTCTGGGCTGGATGCTCCCTGTGTGAGGGCACCATGCCACCTGCAGCTTTCCTGAGTACTTCAT
CGGGAACATGCTGCTGAGTCTCTTGCCAGCTCTGTCTTCTGCACATCAGCAGCATCGGGAAGTTGGCC
ATGATCTTTGCTTGGGGCTCATCTATTTGGTGTCTTCTGCTGGGTCCCCAGCCACCATCTTTGACA
ACTATGACCTACTGCTTGGCGTCCATGGCTTGGCTTCTTCCAATGAGACCTTTGATGGGCTGGACTGTCC
AGCTGCAGGGAGGGTGGCCCTCAAATATATGACCCCTGTGATTCTGCTGGTGTTCGCGTGGCGTGTAT
CTGCATGCTCAGCAGGTGGAGTCGACTGCCCGCTAGACTTCTCTGGAAACTACAGGCAACAGGGGAGA
AGGAGGAGATGGAGGAGCTACAGGCATAACAACCGAGGCTGTGCATAACATTCTGCCAAGGACGTGGC
GGCCCACTTCTGGCCCGGGAGCGCCGAATGATGAACTCTACTATCAGTCGTGTGAGTGTGGCTGTT
ATGTTTGCCTCCATTGCCAATTCTCTGAGTTCTATGTGGAGCTGGAGGCAACAATGAGGGTGTGAGT
GCCTGCGGCTGCTCAACGAGATCATCGCTGACTTTGATGAGATTATCAGCGAGGAGCGGTTCCGGCAGCT
GGAAAAGATCAAGACGATTGGTAGCACCTACATGGCTGCCTCAGGGCTGAACGCCAGCACCTACGATCAG
GTGGGCGCTCCACATCACTGCCCTGGCTGACTACGCCATGCGGCTCATGGAGCAGATGAAGCACATCA
ATGAGCACTCCTTCAACAATTTCCAGATGAAGATTGGGCTGAACATGGGCCAGTCGTGGCAGGTGCAT
CGGGGCTCGGAAGCCACAGTATGACATCTGGGGAAACACAGTGAATGTCTCTAGTCGTATGGACAGCAG
GGGGTCCCCGACCGAATCCAGGTGACCACGGACCTGTACCAGTTCTAGCTGCCAAGGGCTACCAGCTGG
AGTGTGAGGGGTGGTCAAGGTGAAGGGCAAGGGGAGATGACCACCTACTTCTCAATGGGGGCCCCAG
CAGT

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA



Protein Sequence: >RC209021 representing NM_015270
 Red=Cloning site Green=Tags(s)

```
MSWFSGLLVPKVDERKTAWGERNGQKRSRRRGTRAGGFCTPRYMSCLRDAEPPSPTPAGPPRCPWQDDAF
IRRGPGKGGKELGLRAVALGFEDTEVTTTAGGTAEVAPDAVPRSGRSCWRRLVQVFQSKQFRSAKLERLY
QRYFFQMNQSSLTLLMAVLVLLTAVLLAFHAAPARPQPAYVALLACAAALFVGLMVV CNRHSFRQDSMWV
VSYVVLGILAAVQVGGALADPRSPSAGLWCPVFFVYIAYTLLPIRMRAAVLSGLGLSTLHLILAWQLNR
GDAFLWQQLGANVLLFLCTNVIIGICTHYPAEVSQRQAFQETRGYIQARLHLQHENRQERLLLSVLPQHV
AMEMKEDINTKKEDMMFHKIYIQKHDNVSILFADIEGFTSLASQCTAQELVMTLNELFARFDKLAENHC
LRIKILGDCYCYVSGLPEARADHAHCCVEMGVDMIEAISLVREVTGVNVNMRVGIHSGRVHCGVLGLRWK
QFDVWSNDVTLANHMEAGGRAGRIHITRATLQYLNQDYVEVPGRGGERNAYLKEQHIETFLILGASQKRK
EEKAMLAKLQRTRANSMEGLMPRWVPDRAF SRTKDSKAFRQMGIDSSKDNRGTQDALNPEDEVDFLSR
AIDARSIDQLRKDHVRRFLLTFQREDLEKKYSRKVDPRFGAYVACALLVFCFICFIQLLIFPHSTLMGLI
YASIFLLLLITVLCVYSCGSLFPKALQRLSRSIVRSRAHSTAVGIFSVLLVFTSAIANMFTCNHTPIR
SCAARMLNLPADITACHLQQLNYSGLDAPLCEGTMPTCSFPEYFIGNMLLSLLASSVFLHISSIGKLA
MIFVLGLIYLVLLLLGPPATIFDNYDLLGVHGLASSNETFDGLDCAAGRVALKYMPVILLVVALALY
LHAQQVESTARLDLWKLQATGEKEEMEELQAYNRLLHNILPKDVAAHFLARERRNDELYYQSCCEVAV
MFASIANFSEFYVELEANNEGVECLRLLEIIADFDEIISEERFRQLEIKTIGSTYMAASGLNASTYDQ
VGRSHITALADYAMRLMEQMKHINEHSFNNFQMKIGLNMGPVVAGVIGARKPQYDIWGNTVNVSSRMDST
GVPDRIQVTTDLVQLAAKGYQLECRGVVVKVKGKGMTTYFLNGGPSS
```

SGP TRTRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII
Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN: NM_015270

ORF Size: 3504 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_015270.5
RefSeq Size:	6583 bp
RefSeq ORF:	3507 bp
Locus ID:	112
UniProt ID:	O43306
Cytogenetics:	12q13.12
Domains:	CYCc
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Chemokine signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling pathway, Melanogenesis, Oocyte meiosis, Progesterone-mediated oocyte maturation, Purine metabolism, Taste transduction, Vascular smooth muscle contraction
MW:	130.6 kDa

Gene Summary:

This gene encodes a member of the adenylyl cyclase family of proteins, which are required for the synthesis of cyclic AMP. All members of this family have an intracellular N-terminus, a tandem repeat of six transmembrane domains separated by a cytoplasmic loop, and a C-terminal cytoplasmic domain. The two cytoplasmic regions bind ATP and form the catalytic core of the protein. Adenylyl cyclases are important effectors of transmembrane signaling pathways and are regulated by the activity of G protein coupled receptor signaling. This protein belongs to a small subclass of adenylyl cyclase proteins that are functionally related and are inhibited by protein kinase A, calcium ions and nitric oxide. A mutation in this gene is associated with arthrogyposis multiplex congenita. [provided by RefSeq, May 2015]

Product images:


Circular map for RC209021