

Product datasheet for RC209126L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TFII I (GTF2I) (NM_001518) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TFII I (GTF2I) (NM_001518) Human Tagged ORF Clone Lentiviral Particle

Symbol: GTF2I

Synonyms: BAP135; BTKAP1; DIWS; GTFII-I; IB291; SPIN; TFII-I; WBS; WBSCR6

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 001518

ORF Size: 2871 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC209126).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001518.2</u>

 RefSeq Size:
 4422 bp

 RefSeq ORF:
 2874 bp

 Locus ID:
 2969

 UniProt ID:
 P78347

 Cytogenetics:
 7q11.23

 Domains:
 GTF2I

Protein Families: Transcription Factors





TFII I (GTF2I) (NM_001518) Human Tagged ORF Clone Lentiviral Particle - RC209126L3V

Protein Pathways: Basal transcription factors

MW: 107.8 kDa

Gene Summary: This gene encodes a phosphoprotein containing six characteristic repeat motifs. The encoded

protein binds to the initiator element (Inr) and E-box element in promoters and functions as a regulator of transcription. This locus, along with several other neighboring genes, is deleted in Williams-Beuren syndrome. There are many closely related genes and pseudogenes for this gene on chromosome 7. This gene also has pseudogenes on chromosomes 9, 13, and 21. Alternatively spliced transcript variants encoding multiple isoforms have been observed.

[provided by RefSeq, Jul 2013]