

Product datasheet for RC209191L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Eph receptor A3 (EPHA3) (NM_005233) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Eph receptor A3 (EPHA3) (NM_005233) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Eph receptor A3

Synonyms: EK4; ETK; ETK1; HEK; HEK4; TYRO4

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC209191).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_005233

ORF Size: 2949 bp



Eph receptor A3 (EPHA3) (NM_005233) Human Tagged Lenti ORF Clone - RC209191L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005233.3</u>

 RefSeq Size:
 5826 bp

 RefSeq ORF:
 2952 bp

 Locus ID:
 2042

 UniProt ID:
 P29320

Cytogenetics: 3p11.1

Domains: pkinase, EPH lbd, TyrKc, SAM, S TKc, FN3

Protein Families: Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane

Protein Pathways: Axon guidance

MW: 110 kDa


Gene Summary: This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH

and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. This gene encodes a protein that binds ephrin-A ligands. Two alternatively spliced transcript


variants have been described for this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC209191L2



Double digestion of RC209191L2 using Sgfl and Miul