

## Product datasheet for RC209191L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Eph receptor A3 (EPHA3) (NM 005233) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Eph receptor A3 (EPHA3) (NM 005233) Human Tagged ORF Clone Lentiviral Particle

**Symbol:** Eph receptor A3

**Synonyms:** EK4; ETK1; HEK; HEK4; TYRO4

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_005233 **ORF Size:** 2949 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC209191).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 005233.3

 RefSeq Size:
 5826 bp

 RefSeq ORF:
 2952 bp

 Locus ID:
 2042

 UniProt ID:
 P29320

 Cytogenetics:
 3p11.1

**Domains:** pkinase, EPH\_lbd, TyrKc, SAM, S\_TKc, FN3

**Protein Families:** Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane





## Eph receptor A3 (EPHA3) (NM\_005233) Human Tagged ORF Clone Lentiviral Particle – RC209191L4V

**Protein Pathways:** Axon guidance

**MW:** 110 kDa

**Gene Summary:** This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH

and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. This gene encodes a protein that binds ephrin-A ligands. Two alternatively spliced transcript

variants have been described for this gene. [provided by RefSeq, Jul 2008]