

Product datasheet for RC209211

Complement C4B (C4B) (NM_001002029) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Complement C4B (C4B) (NM_001002029) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Complement C4B
Synonyms:	C4B1; C4B2; C4B3; C4B5; C4B12; C4BD; C4B_2; C4F; CH; CO4; CPAMD3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC209211 representing NM_001002029 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGAGGCTGCTCTGGGGCTGATCTGGGCATCCAGCTTCTTACCTTATCTCTGCAGAAGCCAGGTTGCTCTTGTCTCTCCTTCTGTGGTTCATCTGGGGTCCCCATCGGTGGGGTGCAGCTCCAGGATGTGCCCGGAGGACAGGTAGTAAAGGATCAGTGTCTGAGAAACCCATCTCGTAATAATGTCCCCTGCTCCCCAAGGTGGACTTACCCTTAGCTCAGAAAGAGACTTCGACTCCTCAGTCTCCAGGTGCCCTTGAAGATGCGAAGAGCTGTGGCCTCCATCACTCCTCAGAGGCCCTGAGGTCCAGCTGGTGGCCATTGCCATGGCTAAAGGACTCTGTCCAGAACGACAAACATCCAGGGTATCAACCTGCTCTTCTCCTCTCGCCGGGGGCACCTCTTTTTGCAGACGGACCAGCCATTTACAACCTGGCCAGCGGGTTCGGTACCGGGTCTTTGCTCTGGATCAGAAAGATGCGCCCGAGCACTGACACCATCACATGATGGTGGAGAATCTCACGGCCTCCGCGTGCGGAAGAAGGAGGTGACATGCCCTCGTCCATCTTCCAGGATGACTTTGTGATCCCAGACATCTCAGAGCCAGGGACCTGGAAGATCTCAGCCGATTCTCAGATGGCCTGGAATCCAACAGCAGCACCCAGTTTGAGGTGAGAATATGTCCTTCCAACTTTGAGGTGAAGATCACCCCTGGAAAGCCCTACATCTGACGGTGCCAGGCCATCTTGATGAAATGCAGTTAGACATCCAGGCCAGGTACATCTATGGAAAGCCAGTGCAGGGGTGGCATATGTGCGCTTTGGGCTCCTAGATGAGGATGGTAAGAAGACTTTCTTTCGGGGCTGGAGAGTCAGACCAAGCTGGTGAATGGACAGAGCCACATTTCCCTCTCAAAGGCAGAGTTCAGGACGCCCTGGAGAAGCTGAATATGGGCATTACTGACCTCCAGGGGCTGCGCCTCTACGTTGCTGCAGCCATCATTGAGTCTCCAGGTGGGAGATGGAGGAGGCAGAGCTCACATCCTGGTATTTTGTGTCTCCTTCTCCTTGGATCTTAGCAAGACCAAGCGACACCTTGTGCTGGGGCCCCCTTCTGCTGCAGGCCCTGGTCCGTGAGATGTCAGGCTCCCCAGCTTCTGGCATTCTGTCAAAGTTTCTGCCACGGTGTCTTCTCCTGGGTCTGTTCTGAAGTCCAGGACATTCAGCAAAACACAGACGGGAGCGCCAAGTCAGCATTCCAATAAATTATCCCTCAGACCATCTCAGAGCTGCAGCTCTCAGTATCTGCAGGCTCCCCACATCCAGCGATAGCCAGGCTCACTGTGGCAGCCCCACCTTAGGAGGCCCGGGTTTCTGTCTATTGAGCGGCCGATTCTCGACCTCCTCGTGTGGGACACTCTGAAC



CTGAACCTGCGAGCCGTGGGCAGTGGGGCCACCTTTTCTCATTACTACTACATGATCCTATCCCCAGGGC
AGATCGTGTTCATGAATCGAGAGCCCAAGAGGACCCTGACCTCGGTCTCGGTGTTTGTGGACCATCACCT
GGCACCCTCCTTCTACTTTGTGGCCTTCTACTACCATGGAGACCACCCAGTGGCCAACTCCCTGCGAGTG
GATGTCCAGGCTGGGGCCTGCGAGGGCAAGCTGGAGCTCAGCGTGGACGGTGCCAAGCAGTACCGGAACG
GGGAGTCCGTGAAGCTCCACTTAGAAACCGACTCCCTAGCCCTGGTGGCCTGGGAGCCTGGACACAGC
TCTGTATGCTGCAGGCAGCAAGTCCCACAAGCCCTCAACATGGCAAGGTCTTTGAAGCTATGAACAGC
TATGACCTCGCTGTGGTCTGGGGTGGGGCAGTGCCCTTCAGGTGTTCCAGGCAGCGGGCTGGCCT
TTTCTGATGGAGACCAGTGGACCTTATCCAGAAAAGAGACTAAGCTGTCCAAGGAGAAGACAACCCGGAA
AAAGAGAAAAGTGAACCTCCAAAAGCGATTAATGAGAAAATTGGGTCAGTATGCTTCCCCGACAGCCAAG
CGCTGCTGCCAGGATGGGGTGACACGTCTGCCATGATGCGTTTCTGCGAGCAGCGGGCAGCCCGCTGC
AGCAGCCGGACTGCCGGGAGCCCTTCTGTCTGCTGCCAATTTGCTGAGAGTCTGCGCAAGAAGAGCAG
GGACAAGGGCCAGGCGGGCCTCCAACGAGCCCTGGAGATCCTGCAGGAGGAGGACCTGATTGATGAGGAT
GACATTCCTGTCGACGCTTCTCCAGAGAACTGGCTCTGGAGAGTGGAAACAGTGGACCCTTTCAA
TATTGACACTGTGGCTCCCCGACTCTCTGACCAGTGGGAGATCCATGGCCTGAGCCTGTCCAAAACCAA
AGGCCTATGTGTGGCCACCCAGTCCAGCTCCGGGTGTTCCGCGAGTTCCACCTGCACCTCCGCCTGCC
ATGTCTGTCCGCCGCTTTGAGCAGCTGGAGCTGCGGCCTGTCTATAACTACCTGGATAAAAACCTGA
CTGTGAGCGTCCACGTGTCCCCAGTGGAGGGGCTGTGCCTGGCTGGGGCGGAGGGCTGGCCAGCAGGT
GCTGGTGCCTGCGGGCTCTGCCCGCCTGTTGCCTTCTCTGTGGTGGCCACGGCAGCCACCCTGTGTCT
CTGAAGGTGGTGGCTCGAGGGTCTTGAATTCCTGTGGGAGATGCGGTGTCCAAGGTTCTGCAGATTG
AGAAGGAAGGGGCCATCCATAGAGAGGAGCTGGTCTATGAACTCAACCCCTTGGACCACCGAGGCCGGAC
CTTGAAAATACCTGGCAACTCTGATCCCAATATGATCCCTGATGGGGACTTTAACAGCTACGTCAAGGTT
ACAGCCTCAGATCCATTGGACACTTTAGGCTCTGAGGGGGCCTTGTACCAGGAGGCGTGGCCTCCCTCT
TGAGGCTTCTCGAGGCTGTGGGGAGCAAACATGATCTACTTGGCTCCGACACTGGCTTCCGCTA
CCTGGACAAGACAGAGCAGTGGAGCACACTGCCTCCCGAGACCAAGGACCACCGCTGGATCTGATCCAG
AAAGGCTACATGCGGATCCAGCAGTTTCGGAAGGCGGATGGTTCTATGCGGCTTGGTTGTACGGGGCA
GCAGCACCTGGCTCACAGCCTTTGTGTTGAAGTCTGAGTTTGGCCAGGAGCAGGTAGGAGGCTCGCC
TGAGAAAATGCAGGAGACATCTAACTGGCTTCTGTCCCAGCAGCAGGCTGACGGCTCGTTCCAGGACCTC
TCTCCAGTGATACATAGGAGCATGCAGGGGGTGGTGGGCAATGATGAGACTGTGGCACTCACAGCCT
TTGTGACCATCGCCCTTCATCATGGCTGGCCGCTTCCAGGATGAGGGTGCAGAGCCATTGAAGCAGAG
AGTGGAAGCCTCCATCTCAAAGGCAAGCTCATTTTTGGGGGAGAAAGCAAGTGTGGGCTCCTGGGTGCC
CACGCAGCTGCCATCACGGCCTATGCCCTGACACTGACCAAGGCCCTGCGGACCTGCGGGGTGTTGCC
ACAACAACCTCATGGCAATGGCCAGGAGACTGGAGATAACCTGTACTGGGGCTCAGTCACTGGTTCTCA
GAGCAATGCCGTGTGCCACCCCGGCTCCTCGCAACCCATCCGACCCCATGCCCCAGGCCCCAGCCCTG
TGGATTGAAACCACAGCCTACGCCCTGTGACCTCCTGCTTACAGAGGGCAAAGCAGAGATGGCAGACC
AGGCTGCGGCCTGGCTCACCCGTGAGGGCAGCTTCCAAGGGGATTCGCGAGTACCAAGACACGGTGAT
TGCCCTGGATGCCTGTCTGCCTACTGGATTGCCTCCACACCACTGAGGAGAGGGGTCTCAATGTGACT
CTCAGCTCCACAGGCCGAATGGGTTCAAGTCCCACGCGCTGCAGCTGAACAACCCGAGATTCCGGCC
TGGAGGAGGAGCTGCAGTTTTCTTGGCAGCAAGATCAATGTGAAGGTGGGAGGAAACAGCAAAGGAAC
CCTGAAGGTCTTTCGTACCTACAATGTCTGGACATGAAGAACACGACCTGCCAGGACCTACAGATAGAA
GTGACAGTCAAAGGCCAGCTCGAGTACACGATGGAAGCAAACGAGGACTATGAGGACTATGAGTACGATG
AGCTTCCAGCAAAGGATGACCCAGATGCCCTCTGCAGCCGTGACACCCCTGCAGCTGTTTGGGGTCTG
GAGGAACCCGCGCAGGAGGGAGGCGCCAAAGTGGTGGAGGAGCAGGAGTCCAGGGTGCCTACACCGTG
TGCATCTGGCGGAACGGCAAGGTGGGGTGTCTGGCATGGCCATCGCGGACGTACCCTCCTGAGTGGAT
TCCACGCCCTGCGTGTGACCTGGAGAAGCTGACCTCCCTCTCTGACCGTTACGTGAGTCACTTTGAGAC
CGAGGGGGCCCCACGTCTGCTGATTTTACTCGGTCCCCACCTCCCGGAGTGCCTGGGCTTTGAGGCT
GTGCAGGAAGTCCGGTGGGGCTGGTGCAGCCGGCCAGCGCAACCCCTGTACGACTACTACAACCCCGAGC
GCAGATGTTCTGTGTTTTACGGGGCACCAAGTAAGAGCAGACTCTGGCCACCTTGTGTTCTGCTGAAGT
CTGCCAGTGTGCTGAGGGGAAGTGCCCTCGCCAGCGTCCGCGCCTGGAGCGGGGTCTGCAGGACGAGGAT
GGCTACAGGATGAAGTTTGCCTGCTACTACCCCGTGTGGAGTACGGCTTCCAGGTTAAGGTTCTCCGAG
AAGACAGCAGAGCTGCTTCCGCCCTTTGAGACCAAGATCACCCAAGTCTGCCTTCCCAAGGATGT
CAAGGCCGCTGCTAATCAGATGCGCAACTTCTGGTTCGAGCCTCCTGCCCTTCCGCTTGGAACTGGG
AAAGAATATTTGATCATGGGTCTGGATGGGGCCACCTATGACCTCGAGGGACACCCCAAGTACCTGCTGG

ACTCGAATAGCTGGATCGAGGAGATGCCCTCTGAACGCCTGTGCCGGAGCACCCGCCAGCGGGCAGCCTG
TGCCAGCTCAACGACTTCTCCAGGAGTATGGCACTCAGGGGTGCCAGGTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTAA

Protein Sequence:

>RC209211 representing NM_001002029
Red=Cloning site Green=Tags(s)

MRLWGLIWAASSFFTL SLQKPRLLLFSPSVVHLGVPLSVGVQLQDVPRGQVVKGSVFLRNPSRNNVPCSP
KVDFTLSSERDFALLSLQVPLKDAKSCGLHQLLRGPEVQLVAHSPWLKDSL SRTTNIQGINLLFSSRRGH
LFLQTDQPIYNPQQRVRYRVFALDQKMRPSTDTITVMVENSHGLRVRKKEVYMPSSI FQDDFVIPDI SEP
GTWKISARFSDGLESNSSTQFEVKKYVLPNFVKITPGKPYIL TVPGHLDQMQLDIQARYIYGKPVQGVA
YVRFGLLDELDGKKTFFRGL ESQTKLVNGQSHISLSKA EFQDALEKLNMGITDLQGLRLYVAAAIIESP GG
EMEEAELTSWYFVSSPFLDLSKTKRHLVPGAPFLLQALVREMSGSPASGIPVKVSATVSSPGSVPEVQD
IQQNTDGSQVSIPIIIPQTI SELQLSVSAGSPHPAIARLTVAAPP SGGPGFLSIERPDSRPPRVGDTLN
LNLRAVSGS GATFSHYYYMILSRGQIVFMNREP KRTLTSVSFVDHHLAPSFYFVAFYHGHDPVANSLRV
DVQAGACEGKLEL SVDGAKQYRNGESVKLHLETD SLALVALGALDTALYAAGSKSHKPLNMGKVF EAMNS
YDLGCGPGGDSALQVFQAAGLAFSDGDQWTL SRKRLSCPKEKTRRKRNVNFQKAI NEKLGQYASPTAK
RCCQDGVTRL PMMRSCEQRAARVQQPDCREPF LSCCQFAESLRKSRDKGQAGLQRALEILQEEDLIDED
DIPVRSFFPENWLWRVETVDRFQIL TLWLPDSL TTWEIHGLSLSKTKGLCVATPVQLRVFREFHLHLRLP
MSVRRFEQLELRPVL YNYLDKNLTVSVHVSPVEGLCLAGGGGLAQVLPAGSARPVAFSVVPTAATAVS
LKVVARGSFEPVGDVAVSKVLQIEKEGAIHREELVYELNPLDHRGRTLEIPGNSDPNMPDGFNSYVYRV
TASDPLDTLGSEALSPGGVASLLRLPRGCGEQTM IYLAPTLAASRYLDKTEQWSTLPPETKDHAVDLIQ
KGYMRIQQFRKADGSYAAWLSRGSSTWLTAFVLKVL SLAQEQVGG SPEKLQETS NWLLSQQQADGSFQDL
SPVIHRSMQGGLVGNDETVALTAFVTIALHHGLAVFQDEGA EPLKQRVEASISKASSFLG EKASAGLLGA
HAAAITAYAL TLTKAPADLRGVAHNNLMAMAQETG DNL YWGSVTGSQSNV SPTAPRNP SDPMPQAPAL
WIETTAYALLHLLLHEGKAEMADQAAWLT RQGSFQGGFRSTQD TVIALDAL SAYWIASHTTEERGLNVT
LSSTGRNGFKSHALQLNNRQIRGLEEELQFSLGSKINVKVGGNSKGT LKVLRTY NVLDMKNTTCQDLQIE
VTVKGHVEYTM EANEDEYEDYELPAKDDPDAPLQPVTPLQL FEGRNRRRRREAPKVVVEEQESRVHYTV
CIWRNGKVGLSGMAIADVTLLSGFHALRADLEKLTSLSDRYVSHFETEGPHVLLYFDSVPTSRECVGFEA
VQEVVGLVQPASATLYDYNPERRCSVFY GAPSRL LATLCSAEVCQCAEGKCPQRRALERGLQDED
GYRMKFACYYP RVEYGFQVKVLR EDSRAAFRLFETKITQVLHFTKDVKAAANQMRNFLVRASCRLRLEPG
KEYLIMGLDGATYDLEGHPQYLLDSNSWIEEMPSERLCRSTRQRAACAQLNDFLQEYGTQGCQV

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk8100_f11.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_001002029

ORF Size: 5232 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001002029.4](#)

RefSeq Size: 5444 bp

RefSeq ORF: 5235 bp

Locus ID: 721

UniProt ID: [P0C0L4](#)


Cytogenetics: 6p21.33

Protein Pathways: Complement and coagulation cascades, Systemic lupus erythematosus


MW: 192.8 kDa

Gene Summary: This gene encodes the basic form of complement factor 4, and together with the C4A gene, is part of the classical activation pathway. The protein is expressed as a single chain precursor which is proteolytically cleaved into a trimer of alpha, beta, and gamma chains prior to secretion. The trimer provides a surface for interaction between the antigen-antibody complex and other complement components. The alpha chain may be cleaved to release C4 anaphylatoxin, a mediator of local inflammation. Deficiency of this protein is associated with systemic lupus erythematosus. This gene localizes to the major histocompatibility complex (MHC) class III region on chromosome 6. Varying haplotypes of this gene cluster exist, such that individuals may have 1, 2, or 3 copies of this gene. In addition, this gene exists as a long form and a short form due to the presence or absence of a 6.4 kb endogenous HERV-K retrovirus in intron 9. [provided by RefSeq, May 2020]

Product images:



Circular map for RC209211



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY C4B (Cat# RC209211, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-C4B (Cat# [TA813010])(1:500).