

Product datasheet for RC209232L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ELOVL2 (NM_017770) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ELOVL2 (NM_017770) Human Tagged ORF Clone Lentiviral Particle

Symbol: ELOVL2
Synonyms: SSC2

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_017770

ORF Size: 888 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC209232).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 017770.2, NP 060240.2

RefSeq Size: 4079 bp
RefSeq ORF: 891 bp
Locus ID: 54898
UniProt ID: Q9NXB9
Cytogenetics: 6p24.2
Domains: ELO

Protein Families: Transmembrane





ELOVL2 (NM_017770) Human Tagged ORF Clone Lentiviral Particle - RC209232L3V

Protein Pathways: Biosynthesis of unsaturated fatty acids

MW: 34.6 kDa

Gene Summary: Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long-

chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs) per cycle. Condensing enzyme that catalyzes the synthesis of polyunsaturated very long chain fatty acid (C20- and C22-PUFA), acting specifically toward polyunsaturated acyl-CoA with the

higher activity toward C20:4(n-6) acyl-CoA. May participate in the production of

polyunsaturated VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators.[UniProtKB/Swiss-Prot

Function]