

Product datasheet for RC209258

Niemann Pick C1 (NPC1) (NM_000271) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Niemann Pick C1 (NPC1) (NM_000271) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Niemann Pick C1
Synonyms:	NPC; POGZ; SLC65A1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC209258 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGACCGCTCGCGCCTGGCCCTTGGCCTCCTCCTGCTGCTACTGTGTCCAGCGCAGGTGTTTTACAGT
CCTGTGTTTGGTATGGAGAGTGTGGAATTGCATATGGGGACAAGAGGTACAATTGCGAATATTCTGGCCC
ACAAAACCATTGCCAAGGATGGATATGACTTAGTGCAGGAACCTGTCCAGGATCTTCTTTGGCAAT
GTCAGTCTCTGTGTGATGTTCCGCAGCTTCAGACACTAAAAGACAACCTGCAGCTGCCTCTACAGTTTC
TGTCAGATGTCCATCCTGTTTTATAACCTACTGAACCTGTTTTGTGAGCTGACATGTAGCCCTCGACA
GAGTCAGTTTTTGAATGTTACAGCTACTGAAGATTACGTTGATCCTGTTACAAACCAGACGAAAACAAT
GTGAAAGAGTTACAATACTACGTCGGACAGGGTTTTGCCAATGCAATGTACAATGCCTGCCGGGATGTGG
AGGCCCCCTCAAGTAATGACAAGGCCCTGGGACTCCTGTGTGGGAAGGACGCTGACGCCTGTAATGCCAC
CAACTGGATTGAATACATGTTCAATAAGGACAATGGACAGGCACCTTTTACCATCACTCCTGTGTTTTCA
GATTTTCCAGTCCATGGGATGGAGCCATGAACAATGCCACAAAGGCTGTGACGAGTCTGTGGATGAGG
TCACAGCACCATGTAGCTGCCAAGACTGCTCTATTGTCTGTGGCCCAAGCCCCAGCCCCACCTCCTCC
TGCTCCCTGGACGATCCTTGGCTTGGACCCATGTATGCATCATGTGGATCACCTACATGGCGTTTTTG
CTTGTGTTTTTGGAGCATTTTTTGCAGTGTGGTGTACAGAAAACGGTATTTTTGTCTCCGAGTACTCT
CCATCGATAGCAATATAGCTTTTTCTGTTAATGCAAGTGACAAAAGGAGAGGCGTCTGCTGTGACCTGT
CAGCGCAGCATTGAGGGCTGCTTGGAGCGCTGTTACACGCTGGGGTCTTTCTGCGTCCGAAACCT
GGCTGTGCATTTTCTTCTCGTGGTCTTCATTACTGCGTGTTCGTGAGGCTGGTGTGTTGTCGGGTCA
CAACCAATCCAGTTGACCTCTGGTCAGCCCCAGCAGCCAGGCTCGCCTGGAAAAAGAGTACTTTGACCA
GCACTTTGGGCTTTCTCCGGACGGAGCAGCTCATCATCCGGGCCCTCTCACTGACAAACACATTTAC
CAGCCATACCCTTCGGGAGCTGATGTACCTTTGGACCTCCGCTTGACATACAGATACTGCACCAGGTTCC
TTGACTTACAAATAGCCATCGAAAACATTACTGCCTCTTATGACAATGAGACTGTGACACTTCAAGACAT
CTGCTTGGCCCTCTTTACCGTATAACACGAAGTGCACCATTTGAGTGTGTTAAATTACTTCCAGAAC



[View online »](#)

AGCCATCCGTGCTGGACCACAAGAAAGGGGACGACTTCTTTGTGTATGCCGATTACCACACGCACTTTCT
TGTAAGTGCCTACGGGCTCCTGCCTCTCTGAATGATACAAGTTTGTCTCCATGACCCCTGTCTGGGTACGTT
TGGTGGACCAGTGTCCCGTGGCTTGTGTTGGGAGGCTATGATGATCAAAACTACAATAACGCCACTGCC
CTTGTGATTACCTTCCCTGTCAATAATTACTATAATGATACAGAGAAGCTCCAGAGGGCCAGGCCTGGG
AAAAAGAGTTTATTAATTTTGTGAAAACTACAAGAATCCAATCTGACCATTTCCTTCACTGCTGAACG
AAGTATGAAGATGAACAAATCGTAAAGTGACAGTGATGTCTCACCGTTGTAATTAGCTATGCCATC
ATGTTTCTATATATTTCCCTAGCCTTGGGGCACATCAAAAGCTGTCGAGGCTTCTGGTGGATTCCGAAG
TCTCACTAGGCATCGCGGCATCTTGATCGTGTGAGCTCGGTGGCTTGCTCCTTGGGTGTCTTCAGCTA
CATTGGGTGGCCCTTGACCCTCATTGTGATTGAAGTCATCCCGTTCTGGTGTGGCTGTTGGAGTGGAC
AACATCTTCACTTGGTGCAGGCCTACCAGAGAGATGAACGTCTTCAAGGGGAAACCCTGGATCAGCAGC
TGGGCAGGGTCTAGGAGAAGTGGCTCCAGTATGTTCTGTCTCCTTTCTGAGACTGTAGCATTTTT
CTTAGGAGCATTGTCGTGATGCCAGCCGTGCACACCTTCTCTCTTTGCGGGATTGGCAGTCTTCATT
GACTTTCTTCTGCAGATTACCTGTTTCGTGAGTCTTGGGGTTAGACATTAACGTCAAGAGAAAAATC
GGCTAGACATCTTTGCTGTGTCAGAGGTGCTGAAGATGGAACAAGCGTCCAGGCCTCAGAGAGCTGTT
GTTTCGCTTCTTCAAAACTCCTATTCTCCACTCTGCTAAAGGACTGGATGAGACCAATTGTGATAGCA
ATATTTGTGGGTGTTCTGTCACTCAGCATCGCAGTCTGAACAAAGTAGATATTGGATTGGATCAGTCTC
TTTCGATGCCAGATGACTCCTACATGGTGGATTATTTCAAATCCATCAGTCAGTACCTGCATGCGGGTCC
GCCTGTGTACTTTGCTCTGGAGGAAGGGCAGCACTACTTCTTCAAGGGGCAGAACATGGTGTGCGGC
GGCATGGGCTGCAACAATGATCCCTGGTGCAGCAGATATTTAACGCGGCGCAGCTGGACAACATATACCC
GAATAGGCTTCGCCCCCTCGTCTGGATCGACGATTATTTGACTGGGTGAAGCCACAGTCGTCTTGCTG
TCGAGTGGACAATCACTGACCAGTTCGCAATGCTTCAAGTGGTGGACCTGCCTGCGTTCGCTGCAGG
CCTCTGACTCCGGAAGGCAAACAGAGCCCTCAGGGGGGAGACTTCATGAGATTCTGCCCATGTTCTTT
CGGATAACCCCTAACCCCAAGTGTGGCAAAGGGGGACATGCTGCCTATAGTTCTGCAGTTAACATCCTCCT
TGCCATGGCACCAGGGTGGAGCCACGTAATCATGACCTACCACACCGTGTGCAGACCTCTGCTGAC
TTTATTGACGCTCTGAAGAAAGCCGACTTATAGCCAGTAATGTCACCGAAACCATGGGCATTAACGGCA
GTGCTACCGAGTATTTCTTACAGTGTGTTTTATGTCTTCTACGAACAGTACCTGACCATCATTGACGA
CACTATCTTCAACCTCGGTGTGTCCTGGGCGCGATATTTCTGGTGACCATGGTCTCCTGGGCTGTGAG
CTCTGGTCTGCAGTCATCATGTGTGCCACCATCGCCATGGTCTTGGTCAACATGTTTGGAGTTATGTGGC
TCTGGGGCATCAGTCTGAACGCTGTATCCTTGGTCAACCTGGTGTGAGCTGTGGCATCTCCGTGGAGTT
CTGCAGCCACATAACCAGAGCGTTCACGGTGTGATGAAAGGCAGCCGCTGGAGCGCGGAAGAGGCA
CTTGCCACATGGGCAGCTCCGTGTTTCAAGTGAATCACACTTACAAAATTTGGAGGGATTGTGGTGTGG
CTTTTGCCAAATCTCAAATTTTCCAGATATTCTACTTCAGGATGTATTTGGCCATGGTCTTACTGGGAGC
CACTCACGGATTAATATTTCTCCCTGTCTTACTCAGTTACATAGGGCCATCAGTAATAAAGCCAAAAGT
TGTGCCACTGAAGAGCGATACAAGGAACAGAGCGCAACGGCTTCTAAATTTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC209258 protein sequence
 Red=Cloning site Green=Tags(s)

MTARGLALGLLLLLCPAQVFSQSCVWYGECEIAYGDKRYNCEYSGPPKPLPKDGYDLVQELCPGFFFGN
 VSLCCDVRQLQTLKDNLQLPLQFLSRCPSCFYNLLNLFCELTCSPRQSQFLNVTATEDYVDPVTNQTKTN
 VKELYYYVGGQGFANAMYACRDVEAPSSNDKALGLLCGKDADACNATNWEIYMFNKDNGQAPFTITPVFS
 DFPVHGMEPMNNAATKGCDSEVDEVTAPCSCQDCSIVCGPKPQPPPPAPWTILGLDAMYVIMWITYMAFL
 LVFFGAFFAVWCYRKYFVSEYTPIDSNIAF SVNASDKGEASCCDPVSAAFEGCLRRLFTRWGSFCVRNP
 GCVIFFSLVFITACSSGLVFRVTTNPVDLWSAPSSQARLEKEYFDQHFQPFRTQELIIRAPLTDKHIY
 QPYPSGADVFPGLDIIQLHQVLDLQIAIENITASYDNETVTLQDICALPLSPYNTNCTILSVLNQFN
 SHSVLDHKKGDDFFVYADYHTFLYCVRAPASLNDTSLLDHDPCLGTGGPVFPWLVLGGYDDQNYNNATA
 LVITFPVNNYNDTEKLQRAQAWKEKFINFVKNYKNPNLTISFTAERSIEDELNRESDSVFTVVISYAI
 MFLYISLALGHKSCRLLVDSKVSLEIAGILIVLSSVACSLGVFSYIGLPLTLIVIEVIPFLVLAVGVD
 NIFILVQAYQORDERLQGETLDQQLGRVLGEVAPSMFLSSFSETVAFFLGLSVMPAVHTFSLFAGLAVFI
 DFLLQITCFVSLGLDIKRQEKNRDLIFCCVRGAEDGTSVQASESCLFRFFKNSYSPLLLKDWMRPIVIA
 IFVGVLSFSIAVLNKVDIGLDQSL SMPDSSYMDYFKSISQYLHAGPPVYFVLEEGLDHYTSSKGMNVCG
 GMGCNNDLSLQQIFNAAQLDNYTRIGFAPSSWIDDYFDWVKPQSSCCRVNITDQFCNASVVDPAVRCR
 PLTPEGKQRPQGGDFMRFLPMFLSDNPNPKCGKGGHAAYSAVNILLGHGTRVGATYFMTYHTVLQTSAD
 FIDALKKARLIASNVETETMGINGSAYRVFPYSVFYFYEQYLTIIDDTIFNLGVSLGAIPLVTMVLGCE
 LWSAVIMCATIAMVLVNMFGVMWLWGISLNAVSLVNLVMSCGISVEFCSHITRAFTVSMKGSRVERAEEA
 LAHMGSSVFSGITLTKFGGIVLAFAKSQIFQIFYFRMYLAMVLLGATHGLIFLPVLLSYIGSPVNKAKS
 CATEERYKGTERRERLLNF

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Chromatograms:

https://cdn.origene.com/chromatograms/mg3312_b07.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN:

NM_000271

ORF Size:

3834 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq Size: 4827 bp

RefSeq ORF: 3837 bp

Locus ID: 4864

UniProt ID: [O15118](#)

Cytogenetics: 18q11.2

Domains: Patched

Protein Families: Druggable Genome, Transmembrane


Protein Pathways: Lysosome

MW: 142.1 kDa

Gene Summary:

This gene encodes a large protein that resides in the limiting membrane of endosomes and lysosomes and mediates intracellular cholesterol trafficking via binding of cholesterol to its N-terminal domain. It is predicted to have a cytoplasmic C-terminus, 13 transmembrane domains, and 3 large loops in the lumen of the endosome - the last loop being at the N-terminus. This protein transports low-density lipoproteins to late endosomal/lysosomal compartments where they are hydrolyzed and released as free cholesterol. Defects in this gene cause Niemann-Pick type C disease, a rare autosomal recessive neurodegenerative disorder characterized by over accumulation of cholesterol and glycosphingolipids in late endosomal/lysosomal compartments.[provided by RefSeq, Aug 2009]

Product images:



Circular map for RC209258