

Product datasheet for RC209301L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GANC (NM_198141) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GANC (NM_198141) Human Tagged ORF Clone Lentiviral Particle

Symbol: GANC

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_198141

ORF Size: 2742 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as (RC209301).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 198141.2</u>, <u>NP 937784.2</u>

RefSeq Size: 4603 bp
RefSeq ORF: 2745 bp
Locus ID: 2595
UniProt ID: Q8TET4

Cytogenetics: 15q15.1

Protein Families: Druggable Genome

Protein Pathways: Galactose metabolism, Metabolic pathways, Starch and sucrose metabolism

MW: 104.2 kDa







Gene Summary:

Glycosyl hydrolase enzymes hydrolyse the glycosidic bond between two or more carbohydrates, or between a carbohydrate and a non-carbohydrate moiety. This gene encodes a member of glycosyl hydrolases family 31. This enzyme hydrolyses terminal, non-reducing 1,4-linked alpha-D-glucose residues and releases alpha-D-glucose. This is a key enzyme in glycogen metabolism and its gene localizes to a chromosomal region (15q15) that is associated with susceptibility to diabetes. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Aug 2014]