

Product datasheet for RC209347

PFDN5 (NM_002624) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	PFDN5 (NM_002624) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PFDN5
Synonyms:	MM-1; MM1; PFD5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC209347 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGCC</mark>
	ATGGCGCAGTCTATTAACATCACGGAGCTGAATCTGCCGCAGCTAGAAATGCTCAAGAACCAGCTGGACC AGGAAGTGGAGTTCTTGTCCACGTCCATTGCTCAGCTCA
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	>RC209347 protein sequence <mark>Red</mark> =Cloning site Green=Tags(s)
	MAQSINITELNLPQLEMLKNQLDQEVEFLSTSIAQLKVVQTKYVEAKDCLNVLNKSNEGKELLVPLTSSM YVPGKLHDVEHVLIDVGTGYYVEKTAEDAKDFFKRKIDFLTKQMEKIQPALQEKHAMKQAVMEMMSQKIQ QLTALGAAQATAKA
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6035_a12.zip




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	PFDN5 (NM_002624) Human Tagged ORF Clone – RC209347
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling:
	$\frac{\text{Kozac}}{\text{Consensus}}$ CTATAGGGGGGGGGGAATTCGTCGACTGGATCGGGTACCGGAGGAGGATTCGCCCGCGAGGGGCGCGGATGCCC CTATAGGGGGGGGGGGAATTCGTCGACTGGATCGGGTACCGGAGGAGGATTCGCCCCGCGGATGCCC CTATAGGGGGGGGGAATTCGTCGACTGGATCGGGTACCGGAGGAGGATTCGCCCCGCGGATGCCC $\frac{\text{Kozac}}{\text{Sgfi}}$ CTATAGGGGGGGGAATTCGTCGGATTGGCCGGGGGGGGGG
	<u>DL</u> AANDIL <u>DYKDDDK</u> V stop
	* The last codon before the Stop codon of the ORF
ACCN:	NM_002624
ORF Size:	462 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution M	 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 002624.4</u>
RefSeq Size:	743 bp
RefSeq ORF:	465 bp
Locus ID:	5204


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	PFDN5 (NM_002624) Human Tagged ORF Clone – RC209347
UniProt ID:	<u>Q99471</u>
Cytogenetics:	12q13.13
Domains:	DUF232
Protein Families:	Transcription Factors
MW:	17.3 kDa
Gene Summary:	This gene encodes a member of the prefoldin alpha subunit family. The encoded protein is one of six subunits of prefoldin, a molecular chaperone complex that binds and stabilizes newly synthesized polypeptides, thereby allowing them to fold correctly. The complex, consisting of two alpha and four beta subunits, forms a double beta barrel assembly with six protruding coiled-coils. The encoded protein may also repress the transcriptional activity of the proto-oncogene c-Myc. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC209347



Western blot validation of overexpression lysate (Cat# [LY419199]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC209347 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US