

Product datasheet for RC209414L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MRE11A (MRE11) (NM_005591) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: MRE11A (MRE11) (NM_005591) Human Tagged ORF Clone Lentiviral Particle

Symbol: MRE11

Synonyms: ATLD; HNGS1; MRE11A; MRE11B

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_005591

 ORF Size:
 2124 bp

ORF Nucleotide

2124 bp

Sequence:

The ORF insert of this clone is exactly the same as(RC209414).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005591.3

 RefSeq Size:
 5141 bp

 RefSeq ORF:
 2127 bp

 Locus ID:
 4361

 UniProt ID:
 P49959

 Cytogenetics:
 11q21

Domains: Metallophos, Mre11_DNA_bind

Protein Families: Druggable Genome, Stem cell - Pluripotency





MRE11A (MRE11) (NM_005591) Human Tagged ORF Clone Lentiviral Particle - RC209414L3V

Protein Pathways: Homologous recombination, Non-homologous end-joining

MW: 80.6 kDa

Gene Summary: This gene encodes a nuclear protein involved in homologous recombination, telomere length

maintenance, and DNA double-strand break repair. By itself, the protein has 3' to 5'

exonuclease activity and endonuclease activity. The protein forms a complex with the RAD50 homolog; this complex is required for nonhomologous joining of DNA ends and possesses

increased single-stranded DNA endonuclease and 3' to 5' exonuclease activities. In

conjunction with a DNA ligase, this protein promotes the joining of noncomplementary ends

in vitro using short homologies near the ends of the DNA fragments. This gene has a pseudogene on chromosome 3. Alternative splicing of this gene results in two transcript

variants encoding different isoforms. [provided by RefSeq, Jul 2008]