

Product datasheet for RC209474L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

VPS11 (NM_021729) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: VPS11 (NM_021729) Human Tagged ORF Clone Lentiviral Particle

Symbol: VPS1

Synonyms: END1; HLD12; hVPS11; PEP5; RNF108

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 021729

ORF Size: 2823 bp

ORF Nucleotide

_. _.

Sequence:

The ORF insert of this clone is exactly the same as(RC209474).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 021729.4

 RefSeq Size:
 3279 bp

 RefSeq ORF:
 2826 bp

 Locus ID:
 55823

 UniProt ID:
 Q9H270

 Cytogenetics:
 11q23.3

Domains: Clathrin, RING

Protein Families: Druggable Genome





ORIGENE

MW: 107.6 kDa

Gene Summary: Vesicle mediated protein sorting plays an important role in segregation of intracellular

molecules into distinct organelles. Genetic studies in yeast have identified more than 40 vacuolar protein sorting (VPS) genes involved in vesicle transport to vacuoles. This gene encodes the human homolog of yeast class C Vps11 protein. The mammalian class C Vps proteins are predominantly associated with late endosomes/lysosomes, and like their yeast counterparts, may mediate vesicle trafficking steps in the endosome/lysosome pathway. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2014]