

Product datasheet for RC209556

ZMYM3 (NM_005096) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZMYM3 (NM_005096) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ZMYM3
Synonyms:	DXS6673E; MYM; XFIM; ZNF198L2; ZNF261
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN:	NM_005096
ORF Size:	4110 bp



[View online >](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005096.1 , NM_005096.2 , NM_005096.3 , NP_005087.1
RefSeq Size:	5611 bp
RefSeq ORF:	4113 bp
Locus ID:	9203
UniProt ID:	Q14202
Cytogenetics:	Xq13.1
Protein Families:	Transcription Factors
MW:	152.4 kDa
Gene Summary:	This gene is located on the X chromosome and is subject to X inactivation. It is highly conserved in vertebrates and most abundantly expressed in the brain. The encoded protein is a component of histone deacetylase-containing multiprotein complexes that function through modifying chromatin structure to keep genes silent. A chromosomal translocation (X;13) involving this gene is associated with X-linked cognitive disability. Several alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jan 2010]

Product images:



Circular map for RC209556