

Product datasheet for RC209561

MITF (NM_000248) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MITF (NM_000248) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MITF
Synonyms:	bHLHe32; CMM8; COMMAD; MI; WS2; WS2A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC209561 representing NM_000248 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGCTGGAAATGCTAGAATATAATCACTATCAGGTGCAGACCCACCTCGAAAACCCACCAAGTACCACA
TACAGCAAGCCCAACGGCAGCAGGTAAGCAGTACCTTTCTACCCTTTAGCAAATAACATGCCAACCA
AGTCTGAGCTTGCCATGTCCAAACCAGCCTGGCGATCATGTATGCCACCGGTGCCGGGAGCAGCGCA
CCCAACAGCCCCATGGCTATGCTTACGCTTAACCCAACCTGTGAAAAAGAGGGATTTATAAGTTTGAAG
AGCAAAACAGGGCAGAGAGCGAGTGCCAGGCATGAACACACATTCACGAGCGTCTGTATGCAGATGGA
TGATGTAATCGATGACATCATTAGCCTAGAATCAAGTTATAATGAGGAAATCTTGGGCTTGATGGATCCT
GCTTTGCAAAATGGCAAAACGTTGCCTGTCTCGGAAACTTGATTGATCTTTATGAAAACCAAGGTCTGC
CCCCACAGGCCTCACCATCAGCAACTCCTGTCCAGCCAACCTTCCCAACATAAAAAGGGAGCTCACAGC
GTGATTTTTCCACAGAGTCTGAAGCAAGAGCACTGGCCAAAGAGAGGCAGAAAAGGACAATCACAAAC
CTGATTGAACGAAGAAGAAGATTTAACATAAATGACCGCATTAAAGAAGTACTTTGATTCCCAAGT
CAAATGATCCAGACATGCGCTGGAACAAGGAACCATCTAAAAGCATCCGTGGACTATATCCGAAAGTT
GCAACGAGAACAGCAACGCGCAAAAGAAGTTGAAAACCGACAGAAGAACTGGAGCACGCCAACCGGCAT
TTGTTGCTCAGAATACAGGAACCTGAAATGCAGGCTCGAGCTCATGGACTTCCCTTATTCATCCACGG
GTCTTGCTCTCCAGATTTGGTGAATCGGATCATCAAGCAAGAACCCTTCTTGAGAATGCAGCCAAGA
CCTCCTTCAGCATCATGCAGACCTAACCTGTACAACAACCTCTCGATCTCACGGATGGCACCATCACCTTC
AACAAACACTCGGAACTGGGACTGAGGCCAACCAAGCCTATAGTGTCCCACAAAAATGGGATCCAAAC
TGAAGACATCCTGATGGACGACACCCTTTCTCCCGTCCGGTGTCACTGATCCACTCCTTCTCAGTGTC
CCCCGGAGCTTCCAAAACAAGCAGCCGGAGGAGCAGTATGAGCATGGAAGAGACGGAGCACACTTGT

ACGGTACGGCGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC209561 representing NM_000248
 Red=Cloning site Green=Tags(s)

MLEMLEYNHYVQVQTHLENPTKYHIQQAQRQVQVQYLSTTLANKHANQVLSLPCPNQPGDHVMPVPGSSA
 PNSPMAMLTLSNCEKEGFYKFEEQNRAESECPGMNTHSRASCMQDDVIDDIISLESSYNEEILGLMDP
 ALQMANTLPVSGNLIDL YGNQGLPPPGLTISNSCPANLPNIKRELTACIFPTESEARALAKERQKKNHN
 LIERRRRFNINDRIKELGTLIPKSNPDMRWKGTILKASVDYIRKLQREQRAKELNRQKLEHANRH
 LLLRIQLEMQARAHLGLSLIPSTGLCSPDLVNRIKQEPVLENCSDLLQHHADLTCTTTLDLTDGTTTF
 NNNLGTGTGANQAYSVP TKMGSKLEDILMDDTLSPVGVTDPLLSSVSPGASKTSSRRSSMSMEETEHTC


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg3818_a09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_000248

ORF Size: 1257 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_000248.4](#)

RefSeq Size: 4490 bp

RefSeq ORF: 1260 bp

Locus ID: 4286

UniProt ID: [O75030](#)

Cytogenetics: 3p13


Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Melanogenesis, Melanoma, Pathways in cancer


MW: 46.8 kDa

Gene Summary: The protein encoded by this gene is a transcription factor that contains both basic helix-loop-helix and leucine zipper structural features. The encoded protein regulates melanocyte development and is responsible for pigment cell-specific transcription of the melanogenesis enzyme genes. Heterozygous mutations in the this gene cause auditory-pigmentary syndromes, such as Waardenburg syndrome type 2 and Tietz syndrome. [provided by RefSeq, Aug 2017]

Product images:



Circular map for RC209561



Western blot validation of overexpression lysate (Cat# [LY424990]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC209561 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).