

## Product datasheet for RC209563L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## GRP94 (HSP90B1) (NM\_003299) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** GRP94 (HSP90B1) (NM\_003299) Human Tagged ORF Clone Lentiviral Particle

Symbol: GRP94

Synonyms: ECGP; GP96; GRP94; HEL-S-125m; HEL35; TRA1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 003299

ORF Size: 2409 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC209563).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 003299.1

 RefSeq Size:
 2879 bp

 RefSeq ORF:
 2412 bp

 Locus ID:
 7184

 UniProt ID:
 P14625

 Cytogenetics:
 12q23.3

Domains: HSP90, HATPase\_c
Protein Families: Druggable Genome





## GRP94 (HSP90B1) (NM\_003299) Human Tagged ORF Clone Lentiviral Particle - RC209563L3V

**Protein Pathways:** NOD-like receptor signaling pathway, Pathways in cancer, Prostate cancer

**MW:** 92.5 kDa

**Gene Summary:** This gene encodes a member of a family of adenosine triphosphate(ATP)-metabolizing

molecular chaperones with roles in stabilizing and folding other proteins. The encoded protein is localized to melanosomes and the endoplasmic reticulum. Expression of this protein is associated with a variety of pathogenic states, including tumor formation. There is a microRNA gene located within the 5' exon of this gene. There are pseudogenes for this gene

on chromosomes 1 and 15. [provided by RefSeq, Aug 2012]