

Product datasheet for **RC209609L4V**

Macrophage Scavenger Receptor I (MSR1) (NM_138715) Human Tagged ORF Clone Lentiviral Particle

Product data:

| | |
|---------------------------|--|
| Product Type: | Lentiviral Particles |
| Product Name: | Macrophage Scavenger Receptor I (MSR1) (NM_138715) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | Macrophage Scavenger Receptor I |
| Synonyms: | CD204; phSR1; phSR2; SCARA1; SR-A; SR-AI; SR-AII; SR-AIII; SRA |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-mGFP-P2A-Puro (PS100093) |
| Tag: | mGFP |
| ACCN: | NM_138715 |
| ORF Size: | 1353 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC209609). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | NM_138715.2 |
| RefSeq Size: | 3761 bp |
| RefSeq ORF: | 1356 bp |
| Locus ID: | 4481 |
| UniProt ID: | P21757 |
| Cytogenetics: | 8p22 |
| Domains: | SR, Macscav_rec, Collagen |




[View online »](#)

Protein Families: Druggable Genome, Transmembrane

MW: 49.8 kDa

Gene Summary: This gene encodes the class A macrophage scavenger receptors, which include three different types (1, 2, 3) generated by alternative splicing of this gene. These receptors or isoforms are macrophage-specific trimeric integral membrane glycoproteins and have been implicated in many macrophage-associated physiological and pathological processes including atherosclerosis, Alzheimer's disease, and host defense. The isoforms type 1 and type 2 are functional receptors and are able to mediate the endocytosis of modified low density lipoproteins (LDLs). The isoform type 3 does not internalize modified LDL (acetyl-LDL) despite having the domain shown to mediate this function in the types 1 and 2 isoforms. It has an altered intracellular processing and is trapped within the endoplasmic reticulum, making it unable to perform endocytosis. The isoform type 3 can inhibit the function of isoforms type 1 and type 2 when co-expressed, indicating a dominant negative effect and suggesting a mechanism for regulation of scavenger receptor activity in macrophages. [provided by RefSeq, Jul 2008]

Product images:



[RC209609L4] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC209609L4V particle to overexpress human MSR1-mGFP fusion protein.