

Product datasheet for RC209724L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cytochrome C (CYCS) (NM_018947) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Cytochrome C (CYCS) (NM_018947) Human Tagged ORF Clone Lentiviral Particle

Symbol: Cytochrome C
Synonyms: CYC; HCS; THC4

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_018947

ORF Size: 315 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC209724).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 018947.4

 RefSeq Size:
 5544 bp

 RefSeq ORF:
 318 bp

 Locus ID:
 54205

 UniProt ID:
 P99999

 Cytogenetics:
 7p15.3

Domains: cytochrome_c

Protein Families: Druggable Genome





Cytochrome C (CYCS) (NM_018947) Human Tagged ORF Clone Lentiviral Particle - RC209724L4V

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Colorectal cancer,

Huntington's disease, p53 signaling pathway, Parkinson's disease, Pathways in cancer, Small

cell lung cancer, Viral myocarditis

MW: 11.8 kDa

Gene Summary: This gene encodes a small heme protein that functions as a central component of the

electron transport chain in mitochondria. The encoded protein associates with the inner membrane of the mitochondrion where it accepts electrons from cytochrome b and transfers

them to the cytochrome oxidase complex. This protein is also involved in initiation of apoptosis. Mutations in this gene are associated with autosomal dominant nonsyndromic thrombocytopenia. Numerous processed pseudogenes of this gene are found throughout

the human genome.[provided by RefSeq, Jul 2010]