

Product datasheet for RC209729L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hormone sensitive lipase (LIPE) (NM_005357) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hormone sensitive lipase (LIPE) (NM 005357) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Hormone sensitive lipase

Synonyms: AOMS4; FPLD6; HSL; LHS; REH

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC209729).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_005357

ORF Size: 3228 bp



Hormone sensitive lipase (LIPE) (NM_005357) Human Tagged Lenti ORF Clone - RC209729L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005357.2</u>

RefSeq Size:3829 bpRefSeq ORF:3231 bpLocus ID:3991

 UniProt ID:
 Q05469

 Cytogenetics:
 19q13.2

Protein Pathways: Insulin signaling pathway

MW: 116.6 kDa


Gene Summary: The protein encoded by this gene has a long and a short form, generated by use of

alternative translational start codons. The long form is expressed in steroidogenic tissues such as testis, where it converts cholesteryl esters to free cholesterol for steroid hormone production. The short form is expressed in adipose tissue, among others, where it hydrolyzes

stored triglycerides to free fatty acids. [provided by RefSeq, Jul 2008]



Product images:



Double digestion of RC209729L3 using Sgfl and Mlul $\,$