

Product datasheet for RC209771L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RPL18A (NM 000980) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: RPL18A (NM_000980) Human Tagged ORF Clone Lentiviral Particle

Symbol: L18A Synonyms:

Mammalian Cell None

Selection:

pLenti-C-Myc-DDK (PS100064) Vector:

Myc-DDK Tag: NM 000980 ACCN:

ORF Size: 528 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC209771).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 000980.2

RefSeq Size: 671 bp RefSeq ORF: 531 bp Locus ID: 6142 **UniProt ID:** Q02543 Cytogenetics: 19p13.11

Domains: Ribosomal_L18ae

Protein Pathways: Ribosome





ORIGENE

MW: 20.8 kDa

Gene Summary:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a member of the L18AE family of ribosomal proteins that is a component of the 60S subunit. The encoded protein may play a role in viral replication by interacting with the hepatitis C virus internal ribosome entry site (IRES). This gene is co-transcribed with the U68 snoRNA, located within the third intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed throughout the genome. [provided by RefSeq, Jul 2012]