

Product datasheet for **RC209774**

RPS2 (NM_002952) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RPS2 (NM_002952) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RPS2
Synonyms:	LLREP3; S2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC209774 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGATGACGCCGGTGCAGCGGGGGGCCCGGGGCCCTGGTGGCCCTGGGATGGGAAACCGCGGTG
GCTTCCGCGGAGGTTTCGGCAGTGGCATCCGGGGCCGGGGTCGCGGCCGTGGACGGGGCCGGGGCCGAGG
CCGCGGAGCTCGCGGAGGCAAGGCCGAGGATAAGGAGTGGATGCCCGTACCAAGTTGGGCCGTTGGTC
AAGGACATGAAGATCAAGTCCCTGGAGGAGATCTATCTCTTCTCCCTGCCATTAAGGAATCAGAGATCA
TTGATTTCTTCTGGGGCCTCTCTCAAGGATGAGTTTTGAAGATTATGCCAGTGCAGAAGCAGACCCG
TGCCGGCCAGCGCACCAGGTTCAAGGCATTTGTTGCTATCGGGGACTACAATGGCCACGTCGGTCTGGGT
GTTAAGTGCTCCAAGGAGGTGGCCACCGCCATCCGTGGGGCCATCATCTGGCCAAGCTCTCCATCGTCC
CCGTGCGCAGAGGCTACTGGGGAAACAAGATCGGCAAGCCCCACACTGTCCCTTGCAAGGTGACAGGCCG
CTGCGGCTCTGTGCTGGTACGCCATCCCTGCACCCAGGGGCACTGGCATCGTCTCCGCACCTGTGCC
AAGAAGCTGCTCATGATGGCTGGTATCGATGACTGCTACACCTCAGCCCGGGGCTGCACTGCCACCTGG
GCAACTTCGCCAAGGCCACCTTTGATGCCATTTCTAAGACCTACAGCTACCTGACCCCGACCTCTGGAA
GGAGACTGTATTCACCAAGTCTCCCTATCAGGAGTTCACTGACCACCTCGTCAAGACCCACACCAGATC
TCCGTGCAGCGGACTCAGGCTCCAGCTGTGGCTACAACA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC209774 protein sequence
Red=Cloning site Green=Tags(s)

```
MADDAGAAGGPGGPGMGNRGGFRGGFGSGIRGRGRGRGRGRGARGGKAEDKEWMPVTKLGRVL
KDMKIKSLEEIYLFSLPIKESIIDFFLGASLKDEVLKIMPVQKQTRAGQRTFKAFVAIGDYNGHVGLG
VKCSKEVATAIRGAILAKLSIVPVRGGYWGNIKIGKPHVTPCKVTGRCGSVLRVLIAPAPRGTVISAPVP
KKLLMMAGIDDCYTSARGCTATLGNFAKATFDAISKTYSYLTPDLWKETVFTKSPYQEFTHLVKTHTRV
SVQRTQAPAVATT
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6142_g10.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_002952

ORF Size: 879 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002952.2
RefSeq Size:	962 bp
RefSeq ORF:	882 bp
Locus ID:	6187
UniProt ID:	P15880
Cytogenetics:	16p13.3
Domains:	Ribosomal_S5, Ribosomal_S5_C
Protein Pathways:	Ribosome
MW:	31.3 kDa
Gene Summary:	<p>Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S5P family of ribosomal proteins. It is located in the cytoplasm. This gene shares sequence similarity with mouse LLRep3. It is co-transcribed with the small nucleolar RNA gene U64, which is located in its third intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq, Jul 2008]</p>

Product images:



Circular map for RC209774



Western blot validation of overexpression lysate (Cat# [LY401034]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC209774 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).