

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC209832L2V

Aryl hydrocarbon Receptor (AHR) (NM_001621) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Aryl hydrocarbon Receptor (AHR) (NM_001621) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Aryl hydrocarbon Receptor
Synonyms:	bHLHe76; RP85
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_001621
ORF Size:	2544 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC209832).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001621.2</u>
RefSeq Size:	6247 bp
RefSeq ORF:	2547 bp
Locus ID:	196
UniProt ID:	<u>P35869</u>
Cytogenetics:	7p21.1
Domains:	PAS, HLH, PAC
Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Aryl hydrocarbon Receptor (AHR) (NM_001621) Human Tagged ORF Clone Lentiviral Particle – RC209832L2V
MW:	96.1 kDa
Gene Summary:	The protein encoded by this gene is a ligand-activated helix-loop-helix transcription factor involved in the regulation of biological responses to planar aromatic hydrocarbons. This receptor has been shown to regulate xenobiotic-metabolizing enzymes such as cytochrome P450. Before ligand binding, the encoded protein is sequestered in the cytoplasm; upon ligand binding, this protein moves to the nucleus and stimulates transcription of target genes. [provided by RefSeq, Sep 2015]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US