

Product datasheet for RC209845L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ferritin Heavy Chain (FTH1) (NM_002032) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ferritin Heavy Chain (FTH1) (NM_002032) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Ferritin Heavy Chain

Synonyms: FHC; FTH; FTHL6; HFE5; PIG15; PLIF

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC209845).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_002032

ORF Size: 549 bp





Ferritin Heavy Chain (FTH1) (NM_002032) Human Tagged Lenti ORF Clone - RC209845L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002032.2</u>

RefSeq Size: 1245 bp

RefSeq ORF: 552 bp

Locus ID: 2495

UniProt ID: P02794

Cytogenetics: 11q12.3

Domains: ferritin

Protein Families: Druggable Genome

Protein Pathways: Porphyrin and chlorophyll metabolism

MW: 21.2 kDa


Gene Summary: This gene encodes the heavy subunit of ferritin, the major intracellular iron storage protein in

prokaryotes and eukaryotes. It is composed of 24 subunits of the heavy and light ferritin chains. Variation in ferritin subunit composition may affect the rates of iron uptake and release in different tissues. A major function of ferritin is the storage of iron in a soluble and nontoxic state. Defects in ferritin proteins are associated with several neurodegenerative diseases. This gene has multiple pseudogenes. Several alternatively spliced transcript variants have been observed, but their biological validity has not been determined. [provided by

RefSeq, Jul 2008]



Product images:



Double digestion of RC209845L3 using Sgfl and Mlul $\,$