

Product datasheet for RC209975L2

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

NUP50 (NM_007172) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NUP50 (NM_007172) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: NUP50

Synonyms: NPAP60; NPAP60L

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC209975).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_007172

ORF Size: 1404 bp





NUP50 (NM_007172) Human Tagged Lenti ORF Clone - RC209975L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 007172.3</u>

RefSeq Size: 5225 bp
RefSeq ORF: 1407 bp
Locus ID: 10762
UniProt ID: Q9UKX7
Cytogenetics: 22q13.31

Domains: Ran BP1

Protein Families: Stem cell - Pluripotency


MW: 50.1 kDa

Gene Summary: The nuclear pore complex is a massive structure that extends across the nuclear envelope,


forming a gateway that regulates the flow of macromolecules between the nucleus and the cytoplasm. Nucleoporins are the main components of the nuclear pore complex in eukaryotic cells. The protein encoded by this gene is a member of the FG-repeat containing nucleoporins that functions as a soluble cofactor in importin-alpha:beta-mediated nuclear protein import. Pseudogenes of this gene are found on chromosomes 5, 6, and 14. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC209975L2



Double digestion of RC209975L2 using Sgfl and Mlul