

### Product datasheet for RC209976L2V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Proteasome subunit alpha type 6 (PSMA6) (NM\_002791) Human Tagged ORF Clone Lentiviral Particle

### **Product data:**

**Product Type:** Lentiviral Particles

Product Name: Proteasome subunit alpha type 6 (PSMA6) (NM\_002791) Human Tagged ORF Clone Lentiviral

Particle

**Symbol:** Proteasome subunit alpha type 6

**Synonyms:** IOTA; p27K; PROS27

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_002791

ORF Size: 738 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC209976).

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 002791.1</u>

 RefSeq Size:
 1091 bp

 RefSeq ORF:
 741 bp

 Locus ID:
 5687

 UniProt ID:
 P60900

Cytogenetics: 14q13.2

**Domains:** proteasome





## Proteasome subunit alpha type 6 (PSMA6) (NM\_002791) Human Tagged ORF Clone Lentiviral Particle – RC209976L2V

**Protein Families:** Druggable Genome, Protease, Stem cell - Pluripotency

Protein Pathways: Proteasome MW: 27.4 kDa

**Gene Summary:** The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S

core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple transcript variants encoding several different isoforms have been found for this gene. A pseudogene has been identified on the Y chromosome. [provided by RefSeq, Aug

2013]