

Product datasheet for RC210299

METRNL (NM 001004431) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: METRNL (NM_001004431) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: METRNL

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC210299 representing NM_001004431
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC210299 representing NM_001004431

Red=Cloning site Green=Tags(s)

MRGAARAAWGRAGQPWPRPPAPGPPPPPLPLLLLLAGLLGGAGAQYSSDRCSWKGSGLTHEAHRKEVEQ VYLRCAAGAVEWMYPTGALIVNLRPNTFSPARHLTVCIRSFTDSSGANIYLEKTGELRLLVPDGDGRPGR VQCFGLEQGGLFVEATPQQDIGRRTTGFQYELVRRHRASDLHELSAPCRPCSDTEVLLAVCTSDFAVRGS IQQVTHEPERQDSAIHLRVSRLYRQKSRVFEPVPEGDGHWQGRVRTLLECGVRPGHGDFLFTGHMHFGEA

RLGCAPRFKDFQRMYRDAQERGLNPCEVGTD


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8121 c05.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme: Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001004431

ORF Size: 933 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>



METRNL (NM_001004431) Human Tagged ORF Clone - RC210299

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001004431.1</u>, <u>NP 001004431.1</u>

 RefSeq Size:
 1348 bp

 RefSeq ORF:
 936 bp

 Locus ID:
 284207

 UniProt ID:
 Q641Q3

 Cytogenetics:
 17q25.3


 MW:
 34.8 kDa

Gene Summary: Hormone induced following exercise or cold exposure that promotes energy expenditure.

Induced either in the skeletal muscle after exercise or in adipose tissue following cold exposure and is present in the circulation. Able to stimulate energy expenditure associated with the browning of the white fat depots and improves glucose tolerance. Does not promote an increase in a thermogenic gene program via direct action on adipocytes, but acts by stimulating several immune cell subtypes to enter the adipose tissue and activate their prothermogenic actions. Stimulates an eosinophil-dependent increase in IL4 expression and promotes alternative activation of adipose tissue macrophages, which are required for the increased expression of the thermogenic and anti-inflammatory gene programs in fat. Required for some cold-induced thermogenic responses, suggesting a role in metabolic adaptations to cold temperatures (By similarity).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC210299