

Product datasheet for RC210311L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Retinoid X Receptor alpha (RXRA) (NM_002957) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Retinoid X Receptor alpha (RXRA) (NM_002957) Human Tagged Lenti ORF Clone

Tag: mGFF

Symbol: Retinoid X Receptor alpha

Synonyms: NR2B1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clo

Sequence:

The ORF insert of this clone is exactly the same as(RC210311).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002957

ORF Size: 1386 bp



Retinoid X Receptor alpha (RXRA) (NM_002957) Human Tagged Lenti ORF Clone - RC210311L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002957.3</u>

 RefSeq Size:
 5449 bp

 RefSeq ORF:
 1389 bp

 Locus ID:
 6256

 UniProt ID:
 P19793

Cytogenetics: 9q34.2

Domains: HOLl, zf-C4

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

Protein Pathways: Adipocytokine signaling pathway, Non-small cell lung cancer, Pathways in cancer, PPAR

signaling pathway, Small cell lung cancer, Thyroid cancer

MW: 50.6 kDa

Gene Summary: Retinoid X receptors (RXRs) and retinoic acid receptors (RARs) are nuclear receptors that


mediate the biological effects of retinoids by their involvement in retinoic acid-mediated gene activation. These receptors function as transcription factors by binding as homodimers or heterodimers to specific sequences in the promoters of target genes. The protein encoded by

this gene is a member of the steroid and thyroid hormone receptor superfamily of transcriptional regulators. Alternative splicing of this gene results in multiple transcript


variants. [provided by RefSeq, May 2014]



Product images:



Circular map for RC210311L4



Double digestion of RC210311L4 using Sgfl and Mlul