

Product datasheet for RC210361L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Galactoside 2 alpha L fucosyltransferase 1 (FUT1) (NM_000148) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Galactoside 2 alpha L fucosyltransferase 1 (FUT1) (NM_000148) Human Tagged Lenti ORF

Clone

Tag: Myc-DDK

Symbol: Galactoside 2 alpha L fucosyltransferase 1

Synonyms: H; HH; HSC

Mammalian Cell

Selection:

None

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC210361).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM 000148





Galactoside 2 alpha L fucosyltransferase 1 (FUT1) (NM_000148) Human Tagged Lenti ORF Clone – RC210361L1

ORF Size: 1095 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000148.2</u>

 RefSeq Size:
 4246 bp

 RefSeq ORF:
 1098 bp

 Locus ID:
 2523

 UniProt ID:
 P19526

Cytogenetics: 19q13.33

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Glycosphingolipid biosynthesis - globo series, Glycosphingolipid biosynthesis - lacto and

neolacto series, Metabolic pathways

MW: 41.3 kDa


Gene Summary: This gene encodes a Golgi stack membrane protein that is involved in the creation of a

precursor of the H antigen, which is required for the final step in the synthesis of soluble A and B antigens. This is one of two genes encoding the galactoside 2-L-fucosyltransferase enzyme. Mutations in this gene are a cause of the H-Bombay blood group. [provided by


RefSeq, Aug 2016]



Product images:



Circular map for RC210361L1



Double digestion of RC210361L1 using Sgfl and Mlul $\,$