

Product datasheet for RC210368L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Myostatin Propeptide (MSTN) (NM_005259) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Myostatin Propeptide (MSTN) (NM_005259) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Myostatin Propeptide

Synonyms: GDF8; MSLHP

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210368).

Sequence:

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_005259

ORF Size: 1125 bp



Myostatin Propeptide (MSTN) (NM_005259) Human Tagged Lenti ORF Clone - RC210368L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005259.1</u>

 RefSeq Size:
 2823 bp

 RefSeq ORF:
 1128 bp

 Locus ID:
 2660

 UniProt ID:
 014793

UniProt ID: <u>O14793</u>

Cytogenetics: 2q32.2

Protein Families: Druggable Genome, Secreted Protein

MW: 42.8 kDa

Gene Summary: This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta)

superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to

recruitment and activation of SMAD family transcription factors that regulate gene

expression. The encoded preproprotein is proteolytically processed to generate each subunit


of the disulfide-linked homodimer. This protein negatively regulates skeletal muscle cell

proliferation and differentiation. Mutations in this gene are associated with increased skeletal


muscle mass in humans and other mammals. [provided by RefSeq, Jul 2016]



Product images:



Circular map for RC210368L4



Double digestion of RC210368L4 using Sgfl and Mlul $\,$