

Product datasheet for RC210389L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Dopamine Receptor D1 (DRD1) (NM_000794) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Dopamine Receptor D1 (DRD1) (NM_000794) Human Tagged ORF Clone Lentiviral Particle

Symbol: Dopamine Receptor D1

Synonyms: DADR; DRD1A

Mammalian Cell

Selection:

Vector: pLenti-C-mGFP (PS100071)

None

Tag: mGFP

ACCN: NM_000794 **ORF Size:** 1338 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210389).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000794.3

 RefSeq Size:
 3373 bp

 RefSeq ORF:
 1341 bp

 Locus ID:
 1812

 UniProt ID:
 P21728

 Cytogenetics:
 5q35.2

Domains: 7tm_1

Protein Families: Druggable Genome, GPCR, Transmembrane





Dopamine Receptor D1 (DRD1) (NM_000794) Human Tagged ORF Clone Lentiviral Particle -RC210389L2V

Protein Pathways: Calcium signaling pathway, Gap junction, Neuroactive ligand-receptor interaction

MW: 49.3 kDa

This gene encodes the D1 subtype of the dopamine receptor. The D1 subtype is the most **Gene Summary:**

> abundant dopamine receptor in the central nervous system. This G-protein coupled receptor stimulates adenylyl cyclase and activates cyclic AMP-dependent protein kinases. D1 receptors regulate neuronal growth and development, mediate some behavioral responses, and modulate dopamine receptor D2-mediated events. Alternate transcription initiation sites

result in two transcript variants of this gene. [provided by RefSeq, Jul 2008]