

## Product datasheet for RC210391L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MMP8 (NM\_002424) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** MMP8 (NM\_002424) Human Tagged ORF Clone Lentiviral Particle

Symbol: MMP8

Synonyms: CLG1; HNC; MMP-8; PMNL-CL

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_002424 **ORF Size:** 1401 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC210391).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 002424.1

 RefSeq Size:
 3056 bp

 RefSeq ORF:
 1404 bp

 Locus ID:
 4317

 UniProt ID:
 P22894

Cytogenetics: 11q22.2

**Domains:** hemopexin, Peptidase\_M10, ZnMc

**Protein Families:** Druggable Genome, Protease



ORÏGENE

**MW:** 53.4 kDa

**Gene Summary:** This gene encodes a member of the matrix metalloproteinase (MMP) family of proteins.

These proteins are involved in the breakdown of extracellular matrix in embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Proteolysis at different sites on this protein results in multiple active forms of the enzyme with distinct N-termini. This protein functions in the degradation of type

I, II and III collagens. The gene is part of a cluster of MMP genes which localize to

chromosome 11q22.3. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Jan 2015]