

## Product datasheet for RC210395L1

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Neurokinin 1 Receptor (TACR1) (NM\_001058) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Neurokinin 1 Receptor (TACR1) (NM\_001058) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Neurokinin 1 Receptor

Synonyms: NK1R; NKIR; SPR; TAC1R

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210395).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001058

ORF Size: 1221 bp





#### Neurokinin 1 Receptor (TACR1) (NM\_001058) Human Tagged Lenti ORF Clone - RC210395L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001058.2</u>

 RefSeq Size:
 4795 bp

 RefSeq ORF:
 1224 bp

 Locus ID:
 6869

 UniProt ID:
 P25103

Cytogenetics: 2p12

Domains:

**Protein Families:** Druggable Genome, GPCR, Transmembrane

7tm 1

**Protein Pathways:** Calcium signaling pathway, Neuroactive ligand-receptor interaction

MW: 46.3 kDa


**Gene Summary:** This gene belongs to a gene family of tachykinin receptors. These tachykinin receptors are

characterized by interactions with G proteins and contain seven hydrophobic transmembrane regions. This gene encodes the receptor for the tachykinin substance P, also referred to as neurokinin 1. The encoded protein is also involved in the mediation of phosphatidylinositol


metabolism of substance P. [provided by RefSeq, Sep 2008]



# **Product images:**



Circular map for RC210395L1



Double digestion of RC210395L1 using Sgfl and Mlul  $\,$