

Product datasheet for RC210412L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL1 Receptor I (IL1R1) (NM_000877) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL1 Receptor I (IL1R1) (NM_000877) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: IL1 Receptor I

Synonyms: CD121A; D2S1473; IL-1R-alpha; IL1R; IL1RA; P80

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210412).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_000877

ORF Size: 1707 bp



IL1 Receptor I (IL1R1) (NM_000877) Human Tagged Lenti ORF Clone - RC210412L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000877.2</u>

RefSeq Size:4909 bpRefSeq ORF:1710 bpLocus ID:3554

Cytogenetics: 2q11.2-q12.1

Domains: TIR. IG

UniProt ID:

Protein Families: Druggable Genome, Transmembrane

P14778

Protein Pathways: Apoptosis, Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, MAPK signaling

pathway

MW: 65.4 kDa


Gene Summary: This gene encodes a cytokine receptor that belongs to the interleukin-1 receptor family. The

encoded protein is a receptor for interleukin-1 alpha, interleukin-1 beta, and interleukin-1 receptor antagonist. It is an important mediator involved in many cytokine-induced immune and inflammatory responses. This gene is located in a cluster of related cytokine receptor

genes on chromosome 2q12. [provided by RefSeq, Dec 2013]



Product images:



Circular map for RC210412L4