

## Product datasheet for RC210502L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### TFII I (GTF2I) (NM\_033001) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: TFII I (GTF2I) (NM\_033001) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: TFILL

Synonyms: BAP135; BTKAP1; DIWS; GTFII-I; IB291; SPIN; TFII-I; WBS; WBSCR6

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210502).

Sequence:


Restriction Sites:

Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf I ORF Mlu I

GGG ATC GC ATG ---/--- NNN ACG CGT ---



st The last codon before the Stop codon of the ORF.

ACCN: NM\_033001

ORF Size: 2931 bp





#### TFII I (GTF2I) (NM\_033001) Human Tagged Lenti ORF Clone - RC210502L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 033001.2, NP 127494.1

 RefSeq Size:
 4466 bp

 RefSeq ORF:
 2934 bp

 Locus ID:
 2969

 UniProt ID:
 P78347

Cytogenetics: 7q11.23

Domains: GTF2I

**Protein Families:** Transcription Factors

**Protein Pathways:** Basal transcription factors

**MW:** 110.1 kDa


**Gene Summary:** This gene encodes a phosphoprotein containing six characteristic repeat motifs. The encoded

protein binds to the initiator element (Inr) and E-box element in promoters and functions as a regulator of transcription. This locus, along with several other neighboring genes, is deleted in Williams-Beuren syndrome. There are many closely related genes and pseudogenes for this gene on chromosome 7. This gene also has pseudogenes on chromosomes 9, 13, and 21. Alternatively spliced transcript variants encoding multiple isoforms have been observed.

[provided by RefSeq, Jul 2013]



# **Product images:**



Circular map for RC210502L3