

Product datasheet for RC210520L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mad (MXD1) (NM_002357) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mad (MXD1) (NM_002357) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: Mad

Synonyms: BHLHC58; MAD; MAD1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210520).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002357

ORF Size: 663 bp





Mad (MXD1) (NM_002357) Human Tagged Lenti ORF Clone - RC210520L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002357.2</u>

 RefSeq Size:
 5630 bp

 RefSeq ORF:
 666 bp

 Locus ID:
 4084

 UniProt ID:
 Q05195

Cytogenetics: 2p13.3

Domains: HLH

Protein Families: Druggable Genome, Transcription Factors

MW: 25.3 kDa


Gene Summary: This gene encodes a member of the MYC/MAX/MAD network of basic helix-loop-helix leucine

zipper transcription factors. The MYC/MAX/MAD transcription factors mediate cellular proliferation, differentiation and apoptosis. The encoded protein antagonizes MYC-mediated transcriptional activation of target genes by competing for the binding partner MAX and recruiting repressor complexes containing histone deacetylases. Mutations in this gene may play a role in acute leukemia, and the encoded protein is a potential tumor suppressor. Alternatively spliced transcript variants encoding multiple isoforms have been observed for

this gene. [provided by RefSeq, Feb 2011]



Product images:



Circular map for RC210520L4